

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091721\
 Data File : VV022191.D
 Acq On : 17 Sep 2021 17:29
 Operator : SY/MD
 Sample : M3676-12
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CD7

Quant Time: Sep 18 02:58:51 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 18 02:49:48 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	302636	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	283388	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	124102	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	72097	34.401	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	68.800%
7) Chloroethane-d5	1.564	69	68860	42.073	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.140%
11) 1,1-Dichloroethene-d2	2.105	63	114554	33.050	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.100%
21) 2-Butanone-d5	3.902	46	154195	107.279	ug/L	0.03
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.280%
24) Chloroform-d	4.352	84	176202	46.108	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.220%
26) 1,2-Dichloroethane-d4	5.034	65	111839	49.686	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.380%
32) Benzene-d6	5.053	84	359037	46.710	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.420%
36) 1,2-Dichloropropane-d6	6.072	67	117795	48.730	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.460%
41) Toluene-d8	7.320	98	320023	44.106	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.220%
43) trans-1,3-Dichloroprop...	7.625	79	46474	40.394	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.780%
47) 2-Hexanone-d5	8.091	63	91323	98.461	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.460%
56) 1,1,2,2-Tetrachloroeth...	10.220	84	150765	48.699	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.400%
66) 1,2-Dichlorobenzene-d4	11.628	152	123889	50.780	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.560%
Target Compounds						
					Qvalue	
46) Tetrachloroethene	7.982	164	1402	0.772	ug/L	80

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091721\
Data File : VV022191.D
Acq On : 17 Sep 2021 17:29
Operator : SY/MD
Sample : M3676-12
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0CD7

Quant Time: Sep 18 02:58:51 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 18 02:49:48 2021
Response via : Initial Calibration

