

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091721\
 Data File : VV022204.D
 Acq On : 17 Sep 2021 23:06
 Operator : SY/MD
 Sample : M3787-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CF9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M

Title : VOC Analysis

Signal : TIC: VV022204.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.201	45	50	60	rVB2	24192	22460	0.42%	0.152%
2	1.304	76	82	101	rBV	176046	183827	3.47%	1.241%
3	1.561	155	162	178	rVB	140194	162935	3.07%	1.100%
4	2.108	321	332	365	rVB2	401040	675087	12.74%	4.558%
5	2.432	430	433	435	rBV2	371	272	0.01%	0.002%
6	2.535	463	465	468	rBV2	342	164	0.00%	0.001%
7	2.629	490	494	496	rBV2	393	318	0.01%	0.002%
8	2.677	507	509	514	rVB2	535	377	0.01%	0.003%
9	2.760	529	535	541	rBV2	1931	3011	0.06%	0.020%
10	2.947	591	593	599	rVB2	368	302	0.01%	0.002%
11	3.031	615	619	623	rBV	398	336	0.01%	0.002%
12	3.191	658	669	685	rBV2	4417	9727	0.18%	0.066%
13	3.320	703	709	712	rBV3	571	430	0.01%	0.003%
14	3.429	740	743	749	rVV	251	222	0.00%	0.001%
15	3.712	823	831	835	rBV3	263	290	0.01%	0.002%
16	3.751	840	843	849	rBV2	210	192	0.00%	0.001%
17	3.834	863	869	871	rBV2	258	231	0.00%	0.002%
18	3.908	871	892	930	rBV2	156650	586031	11.06%	3.957%
19	4.352	1013	1030	1056	rBV	185258	458918	8.66%	3.099%
20	4.609	1093	1110	1137	rBV3	98742	250105	4.72%	1.689%
21	4.780	1160	1163	1166	rBV3	404	318	0.01%	0.002%
22	4.947	1213	1215	1216	rBV	294	163	0.00%	0.001%
23	4.976	1221	1224	1228	rBV2	273	188	0.00%	0.001%
24	5.047	1228	1246	1276	rBV2	457270	1167887	22.04%	7.886%
25	5.281	1317	1319	1323	rBV2	383	308	0.01%	0.002%
26	5.301	1323	1325	1327	rBV3	482	228	0.00%	0.002%
27	5.493	1380	1385	1388	rBV3	490	494	0.01%	0.003%
28	5.619	1411	1424	1454	rBV	346403	699659	13.20%	4.724%
29	5.821	1485	1487	1489	rVB2	501	188	0.00%	0.001%
30	5.844	1492	1494	1497	rBV2	272	186	0.00%	0.001%
31	5.915	1501	1516	1549	rBV	2755233	5300026	100.00%	35.786%
32	6.072	1554	1565	1591	rVB	263119	528348	9.97%	3.567%
33	6.436	1673	1678	1680	rBV2	344	261	0.00%	0.002%
34	6.667	1743	1750	1751	rBV2	561	572	0.01%	0.004%
35	6.792	1786	1789	1793	rBV3	393	330	0.01%	0.002%
36	6.866	1810	1812	1818	rVB2	413	313	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091721\
 Data File : VV022204.D
 Acq On : 17 Sep 2021 23:06
 Operator : SY/MD
 Sample : M3787-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CF9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Title : VOC Analysis

37	6.899	1818	1822	1824	rBV2	422	280	0.01%	0.002%
38	6.931	1824	1832	1839	rBV4	363	519	0.01%	0.004%
39	6.989	1839	1850	1879	rBV2	134706	244826	4.62%	1.653%
40	7.246	1927	1930	1932	rBV3	483	293	0.01%	0.002%
41	7.317	1940	1952	1972	rBV	533671	927611	17.50%	6.263%
42	7.625	2038	2048	2070	rBV	88020	157200	2.97%	1.061%
43	7.802	2101	2103	2106	rVB2	424	190	0.00%	0.001%
44	7.853	2111	2119	2130	rVB6	2860	5304	0.10%	0.036%
45	7.985	2152	2160	2169	rVB7	2596	3986	0.08%	0.027%
46	8.091	2183	2193	2224	rBV	281418	537070	10.13%	3.626%
47	8.394	2284	2287	2288	rBV2	366	174	0.00%	0.001%
48	8.484	2312	2315	2321	rBV4	373	381	0.01%	0.003%
49	8.532	2327	2330	2333	rBV2	336	191	0.00%	0.001%
50	8.670	2370	2373	2376	rBV2	225	186	0.00%	0.001%
51	8.738	2391	2394	2396	rBV2	239	167	0.00%	0.001%
52	8.783	2405	2408	2412	rBV4	445	243	0.00%	0.002%
53	8.853	2416	2430	2460	rBV	517934	842319	15.89%	5.687%
54	9.091	2501	2504	2507	rVB2	309	182	0.00%	0.001%
55	9.120	2509	2513	2514	rBV3	307	215	0.00%	0.001%
56	9.146	2517	2521	2522	rBV2	393	275	0.01%	0.002%
57	9.239	2549	2550	2552	rBV	339	161	0.00%	0.001%
58	9.281	2560	2563	2564	rBV2	330	197	0.00%	0.001%
59	9.316	2572	2574	2577	rVB2	314	178	0.00%	0.001%
60	9.493	2627	2629	2632	rBV2	266	172	0.00%	0.001%
61	9.574	2652	2654	2657	rVB	433	187	0.00%	0.001%
62	9.654	2676	2679	2681	rBV2	289	210	0.00%	0.001%
63	9.683	2684	2688	2689	rBV	328	177	0.00%	0.001%
64	9.760	2710	2712	2717	rBV3	237	216	0.00%	0.001%
65	10.037	2795	2798	2802	rBV2	229	191	0.00%	0.001%
66	10.130	2822	2827	2837	rVB5	2066	2718	0.05%	0.018%
67	10.217	2843	2854	2874	rBV	316145	500928	9.45%	3.382%
68	10.458	2925	2929	2933	rBV2	549	496	0.01%	0.003%
69	10.580	2964	2967	2969	rBV2	593	373	0.01%	0.003%
70	10.673	2994	2996	2999	rBV2	256	161	0.00%	0.001%
71	10.725	3007	3012	3013	rBV2	339	198	0.00%	0.001%
72	10.863	3052	3055	3058	rVB2	568	247	0.00%	0.002%
73	10.892	3058	3064	3065	rBV2	258	241	0.00%	0.002%
74	10.911	3065	3070	3071	rBV2	1139	872	0.02%	0.006%
75	10.976	3088	3090	3095	rBV2	196	213	0.00%	0.001%
76	10.998	3095	3097	3101	rVV2	465	285	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091721\
 Data File : VV022204.D
 Acq On : 17 Sep 2021 23:06
 Operator : SY/MD
 Sample : M3787-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0CF9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
 Title : VOC Analysis

77	11.033	3104	3108	3116	rVB4	473	634	0.01%	0.004%
78	11.143	3137	3142	3143	rBV3	738	433	0.01%	0.003%
79	11.207	3160	3162	3164	rBV2	289	180	0.00%	0.001%
80	11.252	3164	3176	3204	rVV	478525	744244	14.04%	5.025%
81	11.625	3280	3292	3313	rBV	492075	775226	14.63%	5.234%
82	12.027	3414	3417	3420	rBV2	421	240	0.00%	0.002%
83	12.156	3454	3457	3459	rBV	254	160	0.00%	0.001%
84	12.204	3470	3472	3475	rBV2	362	179	0.00%	0.001%
85	12.223	3475	3478	3482	rBV2	265	290	0.01%	0.002%
86	12.313	3504	3506	3509	rBV	320	233	0.00%	0.002%
87	12.448	3545	3548	3550	rBV	319	222	0.00%	0.001%
88	12.487	3559	3560	3567	rVB2	282	255	0.00%	0.002%
89	12.522	3567	3571	3574	rBV2	502	341	0.01%	0.002%
90	12.541	3574	3577	3582	rVB2	374	298	0.01%	0.002%
91	12.564	3582	3584	3588	rBV2	395	315	0.01%	0.002%
92	12.837	3666	3669	3672	rBV2	292	168	0.00%	0.001%
93	12.889	3682	3685	3688	rVB	292	168	0.00%	0.001%
94	12.988	3713	3716	3720	rVV	291	220	0.00%	0.001%
95	13.062	3736	3739	3744	rBV2	413	269	0.01%	0.002%
96	13.233	3788	3792	3795	rBV3	407	407	0.01%	0.003%
97	13.445	3855	3858	3861	rBV	503	285	0.01%	0.002%
98	13.458	3861	3862	3865	rVB2	377	170	0.00%	0.001%
99	13.509	3877	3878	3884	rBV3	410	337	0.01%	0.002%
100	13.837	3976	3980	3983	rVB2	465	262	0.00%	0.002%

Sum of corrected areas: 14810273

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091721\
Data File : VV022204.D
Acq On : 17 Sep 2021 23:06
Operator : SY/MD
Sample : M3787-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0CF9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV091721\
Data File : VV022204.D
Acq On : 17 Sep 2021 23:06
Operator : SY/MD
Sample : M3787-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0CF9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082721WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
