

Data File : VV012904.D
Acq On : 18 Sep 2019 18:59
Operator : SY/MD
Sample : K4954-04
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
CWK28

Manual Integrations
APPROVED

MMDadoda
9/19/2019 8:19:31 AM

Quant Time: Sep 19 04:45:49 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR091719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Sep 19 01:01:31 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	372382	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	365423	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	130471	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	157048	4.26	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	85.20%
7) Chloroethane-d5	1.58	69	142352	4.90	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	98.00%
11) 1,1-Dichloroethene-d2	2.13	63	196213	3.61	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	72.20%
20) 2-Butanone-d5	4.00	46	323966m	41.98	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	83.96%
24) Chloroform-d	4.40	84	287173	4.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.40%
26) 1,2-Dichloroethane-d4	5.08	65	147537	5.02	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.40%
32) Benzene-d6	5.10	84	572547	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.40%
36) 1,2-Dichloropropane-d6	6.12	67	180919	4.91	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.20%
41) Toluene-d8	7.36	98	447115	4.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	83.20%
43) trans-1,3-Dichloropropene-	7.66	79	57091	4.31	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.20%
46) 2-Hexanone-d5	8.14	63	237863	42.69	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	85.38%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	131262	4.60	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.00%
64) 1,2-Dichlorobenzene-d4	11.67	152	150655	5.35	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.00%

Target Compounds					Qvalue
3) Chloromethane	1.25	50	15296	0.591 ug/L	100
22) cis-1,2-Dichloroethene	3.97	96	4295m	0.172 ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data File : VV012904.D
Acq On : 18 Sep 2019 18:59
Operator : SY/MD
Sample : K4954-04
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
CWK28

Manual Integrations
APPROVED

MMDadoda
9/19/2019 8:19:31 AM

Quant Time: Sep 19 04:45:49 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR091719WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Thu Sep 19 01:01:31 2019
Response via : Initial Calibration





#3

Chloromethane

Concen: 0.591 ug/L

RT: 1.25 min Scan# 51

Delta R.T. -0.00 min

Lab File: VV012904.D

Acq: 18 Sep 2019 18:59

Instrument :

MSVOA_V

ClientSampled :

CWK28

Tgt Ion: 50 Resp: 15296

Ion Ratio Lower Upper

50 100


52 32.6 22.8 42.4

Manual Integrations

APPROVED




MMDadoda

9/19/2019 8:19:31 AM



Abundance Ion 50.05 (49.75 to 50.75): VV012888.D (-39) (-)

Ion 52.05 (51.75 to 52.75): VV012904.D (-1) (-)



#22

cis-1,2-Dichloroethene

Concen: 0.172 ug/L m

RT: 3.97 min Scan# 896

Delta R.T. 0.01 min

Lab File: VV012904.D

Acq: 18 Sep 2019 18:59


Tgt Ion: 96 Resp: 4295

Ion Ratio Lower Upper

96 100

61 113.3 91.8 170.6

68 0.0 0.0 0.0



Abundance Ion 96.00 (95.70 to 96.70): VV012888.D (-875) (-)

Ion 61.05 (60.75 to 61.75): VV012904.D (-799) (-)

Ion 68.15 (67.85 to 68.85): VV012904.D (-799) (-)

