

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091820\
 Data File : VV018334.D
 Acq On : 18 Sep 2020 19:38
 Operator : SY/MD
 Sample : L4066-16
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFWT7

Quant Time: Sep 19 05:13:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 19 01:35:10 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	271147	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	271239	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	128934	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	99332	44.95	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.90%
7) Chloroethane-d5	1.58	69	82270	45.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.00%
11) 1,1-Dichloroethene-d2	2.12	63	140763	34.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.46%
21) 2-Butanone-d5	3.92	46	116358	86.03	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.03%
24) Chloroform-d	4.38	84	173428	45.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.48%
26) 1,2-Dichloroethane-d4	5.06	65	116396	47.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.72%
32) Benzene-d6	5.08	84	351596	45.28	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.56%
36) 1,2-Dichloropropane-d6	6.09	67	111166	45.06	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.12%
41) Toluene-d8	7.34	98	310905	43.93	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.86%
43) trans-1,3-Dichloropropene-	7.64	79	51716	41.25	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.50%
47) 2-Hexanone-d5	8.11	63	78897	84.42	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	84.42%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	137273	44.33	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.66%
64) 1,2-Dichlorobenzene-d4	11.65	152	129163	48.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.56%


Target Compounds					Ovalue
13) Acetone	2.20	43	4321	3.990 ug/L	77


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091820\
Data File : VV018334.D
Acq On : 18 Sep 2020 19:38
Operator : SY/MD
Sample : L4066-16
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFWT7

Quant Time: Sep 19 05:13:08 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 19 01:35:10 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.990 ug/L

RT: 2.20 min Scan# 345

Delta R.T. 0.00 min

Lab File: VV018334.D

Acq: 18 Sep 2020 19:38

Instrument :
MSVOA_V
ClientSampleId :
BFWT7

Tot Ion: 43 Resp: 4321

Ion Ratio Lower Upper

43 100

58 20.7 0.0 67.4

