

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091820\
 Data File : VV018357.D
 Acq On : 19 Sep 2020 04:41
 Operator : SY/MD
 Sample : L4090-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 51 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFWX4

Quant Time: Sep 19 06:49:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 19 05:11:16 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	271353	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	272472	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	128414	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	89919	40.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	81.32%
7) Chloroethane-d5	1.58	69	76405	42.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	84.44%
11) 1,1-Dichloroethene-d2	2.12	63	131904	32.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.04%
21) 2-Butanone-d5	3.90	46	119429	88.23	ug/L	-0.01
Spiked Amount	100.000	Range	40 - 130	Recovery	=	88.23%
24) Chloroform-d	4.38	84	167691	43.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.42%
26) 1,2-Dichloroethane-d4	5.06	65	112528	45.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.50%
32) Benzene-d6	5.08	84	337185	43.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.46%
36) 1,2-Dichloropropane-d6	6.09	67	109426	44.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	88.30%
41) Toluene-d8	7.34	98	297859	41.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.80%
43) trans-1,3-Dichloropropene-	7.64	79	49910	39.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.26%
47) 2-Hexanone-d5	8.11	63	77396	82.44	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	82.44%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	135535	43.57	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	87.14%
64) 1,2-Dichlorobenzene-d4	11.65	152	123475	46.82	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.64%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091820\
Data File : VV018357.D
Acq On : 19 Sep 2020 04:41
Operator : SY/MD
Sample : L4090-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 51 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFWX4

Quant Time: Sep 19 06:49:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 19 05:11:16 2020
Response via : Initial Calibration

