

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091820\
 Data File : VV018316.D
 Acq On : 18 Sep 2020 12:52
 Operator : SY/MD
 Sample : L4065-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AG9

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.315	64	70	84	rVB	166491	165655	16.12%	2.074%
2	1.579	145	152	165	rVB	128443	145709	14.18%	1.825%
3	2.122	310	321	346	rBV	266087	401440	39.05%	5.027%
4	2.666	486	490	493	rBV2	122	93	0.01%	0.001%
5	2.685	493	496	503	rBV2	135	147	0.01%	0.002%
6	2.878	551	556	558	rBV2	132	119	0.01%	0.001%
7	3.000	591	594	598	rBV	71	59	0.01%	0.001%
8	3.045	605	608	611	rBV2	118	80	0.01%	0.001%
9	3.077	615	618	623	rVB2	133	113	0.01%	0.001%
10	3.116	623	630	632	rBV2	121	132	0.01%	0.002%
11	3.196	651	655	656	rBV	89	63	0.01%	0.001%
12	3.232	664	666	668	rBV2	70	39	0.00%	0.000%
13	3.290	681	684	685	rBV	66	38	0.00%	0.000%
14	3.335	691	698	699	rBV	150	120	0.01%	0.002%
15	3.441	728	731	733	rVB2	111	67	0.01%	0.001%
16	3.460	733	737	741	rBV2	126	129	0.01%	0.002%
17	3.531	755	759	762	rBV2	111	112	0.01%	0.001%
18	3.560	765	768	771	rVB2	67	44	0.00%	0.001%
19	3.595	776	779	786	rBV2	163	194	0.02%	0.002%
20	3.746	822	826	828	rBV2	74	62	0.01%	0.001%
21	3.811	844	846	849	rBV	60	36	0.00%	0.000%
22	3.843	854	856	858	rBV	84	50	0.00%	0.001%
23	3.920	869	880	924	rBV	64447	204862	19.93%	2.565%
24	4.376	1006	1022	1050	rBV	165676	400227	38.94%	5.012%
25	4.569	1079	1082	1083	rBV	233	104	0.01%	0.001%
26	4.598	1086	1091	1095	rBV2	84	81	0.01%	0.001%
27	4.614	1095	1096	1098	rVB2	139	52	0.01%	0.001%
28	4.640	1098	1104	1107	rVB2	102	103	0.01%	0.001%
29	4.675	1107	1115	1118	rBV2	125	132	0.01%	0.002%
30	4.695	1118	1121	1124	rBV	165	120	0.01%	0.002%
31	4.772	1142	1145	1153	rBV2	116	154	0.01%	0.002%
32	4.804	1153	1155	1156	rBV	130	33	0.00%	0.000%
33	4.965	1203	1205	1210	rBV2	127	95	0.01%	0.001%
34	5.074	1221	1239	1276	rBV2	404073	1027884	100.00%	12.872%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091820\
 Data File : VV018316.D
 Acq On : 18 Sep 2020 12:52
 Operator : SY/MD
 Sample : L4065-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AG9

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Title : VOC Analysis

35	5.354	1323	1326	1330	rVB2	285	229	0.02%	0.003%
36	5.383	1330	1335	1338	rBV2	213	182	0.02%	0.002%
37	5.447	1353	1355	1358	rBV2	84	45	0.00%	0.001%
38	5.463	1358	1360	1362	rVB	127	30	0.00%	0.000%
39	5.508	1368	1374	1377	rBV3	222	176	0.02%	0.002%
40	5.527	1377	1380	1381	rVB	105	63	0.01%	0.001%
41	5.579	1392	1396	1398	rBV2	163	144	0.01%	0.002%
42	5.643	1403	1416	1443	rBV	339428	670598	65.24%	8.398%
43	5.865	1482	1485	1488	rBV	213	191	0.02%	0.002%
44	5.933	1497	1506	1523	rVB4	6084	13059	1.27%	0.164%
45	6.003	1523	1528	1531	rBV2	119	107	0.01%	0.001%
46	6.019	1531	1533	1536	rBV2	157	78	0.01%	0.001%
47	6.093	1543	1556	1580	rBV	228667	461593	44.91%	5.781%
48	6.216	1593	1594	1598	rBV2	240	158	0.02%	0.002%
49	6.238	1598	1601	1605	rVV4	648	496	0.05%	0.006%
50	6.267	1609	1610	1613	rVB2	177	85	0.01%	0.001%
51	6.351	1634	1636	1640	rBV2	53	48	0.00%	0.001%
52	6.386	1645	1647	1650	rVV	102	53	0.01%	0.001%
53	6.402	1650	1652	1655	rVB	115	56	0.01%	0.001%
54	6.624	1717	1721	1724	rBV2	125	105	0.01%	0.001%
55	6.711	1746	1748	1751	rVB	75	36	0.00%	0.000%
56	6.736	1751	1756	1758	rBV2	132	113	0.01%	0.001%
57	6.801	1772	1776	1779	rVB	197	142	0.01%	0.002%
58	6.833	1779	1786	1793	rBV2	153	220	0.02%	0.003%
59	6.862	1793	1795	1800	rVB2	59	43	0.00%	0.001%
60	6.971	1825	1829	1830	rBV	77	54	0.01%	0.001%
61	7.010	1830	1841	1863	rBV	122230	221565	21.56%	2.775%
62	7.193	1895	1898	1901	rVB2	181	120	0.01%	0.002%
63	7.261	1916	1919	1921	rBV2	81	59	0.01%	0.001%
64	7.338	1931	1943	1966	rBV	480107	812474	79.04%	10.175%
65	7.582	2017	2019	2022	rBV2	193	143	0.01%	0.002%
66	7.643	2028	2038	2059	rBV	90855	156402	15.22%	1.959%
67	7.842	2095	2100	2103	rBV2	184	134	0.01%	0.002%
68	7.955	2130	2135	2136	rBV2	389	322	0.03%	0.004%
69	8.023	2152	2156	2163	rVB2	110	130	0.01%	0.002%
70	8.055	2163	2166	2168	rBV	80	51	0.00%	0.001%
71	8.109	2173	2183	2221	rBV	237963	425401	41.39%	5.327%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV091820\
 Data File : VV018316.D
 Acq On : 18 Sep 2020 12:52
 Operator : SY/MD
 Sample : L4065-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AG9

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Title : VOC Analysis

72	8.428	2280	2282	2285	rVB	172	61	0.01%	0.001%
73	8.441	2285	2286	2287	rBV	95	34	0.00%	0.000%
74	8.518	2306	2310	2316	rBV2	165	134	0.01%	0.002%
75	8.566	2323	2325	2330	rVB	233	136	0.01%	0.002%
76	8.698	2363	2366	2368	rBV	56	35	0.00%	0.000%
77	8.875	2409	2421	2449	rBV	523758	843902	82.10%	10.568%
78	9.129	2497	2500	2505	rBV2	69	60	0.01%	0.001%
79	9.174	2512	2514	2515	rBV2	127	51	0.00%	0.001%
80	9.209	2522	2525	2529	rBV2	64	48	0.00%	0.001%
81	9.363	2569	2573	2574	rBV	109	83	0.01%	0.001%
82	9.492	2610	2613	2618	rBV2	101	92	0.01%	0.001%
83	9.579	2637	2640	2643	rBV	122	79	0.01%	0.001%
84	9.752	2691	2694	2696	rBV2	81	51	0.00%	0.001%
85	9.987	2761	2767	2772	rBV2	184	227	0.02%	0.003%
86	10.026	2776	2779	2784	rBV2	144	141	0.01%	0.002%
87	10.238	2833	2845	2864	rBV	296459	456387	44.40%	5.715%
88	10.543	2937	2940	2943	rBV	106	86	0.01%	0.001%
89	10.942	3063	3064	3065	rVB	111	21	0.00%	0.000%
90	11.087	3105	3109	3113	rVB	8349	4731	0.46%	0.059%
91	11.186	3139	3140	3143	rVB2	130	33	0.00%	0.000%
92	11.270	3154	3166	3190	rBV	524093	805143	78.33%	10.083%
93	11.514	3240	3242	3243	rBV	139	40	0.00%	0.001%
94	11.646	3271	3283	3304	rBV	490646	760411	73.98%	9.523%
95	11.923	3367	3369	3370	rBV	179	81	0.01%	0.001%


Sum of corrected areas: 7985320

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV091820\
Data File : VV018316.D
Acq On : 18 Sep 2020 12:52
Operator : SY/MD
Sample : L4065-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AG9

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV091820\
Data File : VV018316.D
Acq On : 18 Sep 2020 12:52
Operator : SY/MD
Sample : L4065-03
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
C0AG9

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV091820\
Data File : VV018316.D
Acq On : 18 Sep 2020 12:52
Operator : SY/MD
Sample : L4065-03
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
C0AG9

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc