

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092018\
 Data File : VV007649.D
 Acq On : 20 Sep 2018 12:13
 Operator : SY/MD
 Sample : J4900-06
 Misc : 25.0 mL/MSVOA V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A3Z73

Quant Time: Sep 21 01:52:45 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR091918WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Sep 21 01:37:43 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	131562	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	120088	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	66053	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	19162	3.54	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	70.80%
7) Chloroethane-d5	1.59	69	19428	3.83	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	76.60%
11) 1,1-Dichloroethene-d2	2.13	63	35836	2.50	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	50.00%#
20) 2-Butanone-d5	3.96	46	50110	36.33	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	72.66%
24) Chloroform-d	4.41	84	47691	3.70	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	74.00%
26) 1,2-Dichloroethane-d4	5.09	65	23385	3.67	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	73.40%
32) Benzene-d6	5.10	84	91636	3.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	77.00%
36) 1,2-Dichloropropane-d6	6.12	67	26693	3.80	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	76.00%
41) Toluene-d8	7.36	98	92255	3.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.20%
43) trans-1,3-Dichloropropene-	7.67	79	10003	3.54	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	70.80%
46) 2-Hexanone-d5	8.14	63	35345	32.12	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	64.24%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	20403	3.50	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	70.00%
64) 1,2-Dichlorobenzene-d4	11.68	152	41794	3.83	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	76.60%#


Target Compounds					Ovalue
25) Chloroform	4.43	83	20872	1.368 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092018\
Data File : VV007649.D
Acq On : 20 Sep 2018 12:13
Operator : SY/MD
Sample : J4900-06
Misc : 25.0 mL/MSVOA V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A3Z73

Quant Time: Sep 21 01:52:45 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR091918WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Sep 21 01:37:43 2018
Response via : Initial Calibration





#25
 Chloroform
 Concen: 1.368 ug/L
 RT: 4.43 min Scan# 1039
 Delta R.T. 0.00 min
 Lab File: VV007649.D
 Acq: 20 Sep 2018 12:13

Instrument :
 MSVOA_V
 ClientSampleId :
 A3Z73

Tot Ion: 83 Resp: 20872
 Ion Ratio Lower Upper
 83 100
 85 63.4 45.4 84.4

