

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092018\
 Data File : VV007674.D
 Acq On : 21 Sep 2018 00:10
 Operator : SY/MD
 Sample : J4990-02
 Misc : 25.0 mL/MSVOA V/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0T04

Quant Time: Sep 21 03:54:24 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR091918WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Sep 21 03:27:29 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	106043	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	95761	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	51726	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	18200	4.18	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	83.60%
7) Chloroethane-d5	1.58	69	18853	4.61	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.20%
11) 1,1-Dichloroethene-d2	2.13	63	34377	2.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.40%#
20) 2-Butanone-d5	3.96	46	52263	47.01	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	94.02%
24) Chloroform-d	4.41	84	45963	4.42	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.40%
26) 1,2-Dichloroethane-d4	5.09	65	24492	4.77	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.40%
32) Benzene-d6	5.10	84	86883	4.58	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.60%
36) 1,2-Dichloropropane-d6	6.12	67	26723	4.77	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.40%
41) Toluene-d8	7.36	98	88117	4.50	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.00%
43) trans-1,3-Dichloropropene-	7.67	79	8954	3.97	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.40%
46) 2-Hexanone-d5	8.14	63	36960	42.12	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.24%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	20667	4.45	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.00%
64) 1,2-Dichlorobenzene-d4	11.68	152	39404	4.61	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.20%


Target Compounds					Ovalue
13) Acetone	2.21	43	20315	18.967 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092018\
Data File : VV007674.D
Acq On : 21 Sep 2018 00:10
Operator : SY/MD
Sample : J4990-02
Misc : 25.0 mL/MSVOA V/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0T04

Quant Time: Sep 21 03:54:24 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR091918WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Sep 21 03:27:29 2018
Response via : Initial Calibration





#13

Acetone

Concen: 18.967 ug/L

RT: 2.21 min Scan# 349

Delta R.T. -0.00 min

Lab File: VV007674.D

Acq: 21 Sep 2018 00:10

Instrument :

MSVOA_V

ClientSampleId :

C0T04

Tot Ion: 43 Resp: 20315

Ion Ratio Lower Upper

43 100

58 30.2 0.0 63.6

