

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092318\
 Data File : VV007765.D
 Acq On : 23 Sep 2018 04:40
 Operator : SY/MD
 Sample : J5013-05
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C08T7

Quant Time: Sep 24 06:50:35 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092318WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Sep 24 05:16:03 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	183075	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	177446	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	92473	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	44923	45.15	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.30%
7) Chloroethane-d5	1.59	69	45099	49.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.76%
11) 1,1-Dichloroethene-d2	2.14	63	86003	36.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	73.32%
21) 2-Butanone-d5	3.95	46	42618	64.85	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	64.85%
24) Chloroform-d	4.41	84	93186	43.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.48%
26) 1,2-Dichloroethane-d4	5.09	65	65976	48.56	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.12%
32) Benzene-d6	5.11	84	195852	48.02	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.04%
36) 1,2-Dichloropropane-d6	6.13	67	56788	47.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.30%
41) Toluene-d8	7.36	98	200191	46.97	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.94%
43) trans-1,3-Dichloropropene-	7.67	79	24828	40.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.76%
47) 2-Hexanone-d5	8.14	63	43093	81.24	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	81.24%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	83899	44.62	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.24%
64) 1,2-Dichlorobenzene-d4	11.68	152	91919	48.32	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.64%

Target Compounds					Ovalue
13) Acetone	2.19	43	5082	7.328 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092318\
Data File : VV007765.D
Acq On : 23 Sep 2018 04:40
Operator : SY/MD
Sample : J5013-05
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C08T7

Quant Time: Sep 24 06:50:35 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092318WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Sep 24 05:16:03 2018
Response via : Initial Calibration

