

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092318\  
 Data File : VV007775.D  
 Acq On : 23 Sep 2018 08:48  
 Operator : SY/MD  
 Sample : J5013-16  
 Misc : 5.0 mL/MSVOA V/WATER  
 ALS Vial : 49 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 C08S3

Quant Time: Sep 24 07:12:44 2018  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVLM092318WMA.M  
 Quant Title : VOC Analysis  
 QLast Update : Mon Sep 24 05:16:03 2018  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.67  | 114  | 180793   | 50.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.90  | 117  | 173444   | 50.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.30 | 152  | 90672    | 50.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |         |       |          |          |      |        |
|--------------------------------|---------|-------|----------|----------|------|--------|
| 4) Vinyl Chloride-d3           | 1.32    | 65    | 36485    | 37.13    | ug/L | 0.00   |
| Spiked Amount                  | 50.000  | Range | 60 - 135 | Recovery | =    | 74.26% |
| 7) Chloroethane-d5             | 1.59    | 69    | 38628    | 43.26    | ug/L | 0.00   |
| Spiked Amount                  | 50.000  | Range | 70 - 130 | Recovery | =    | 86.52% |
| 11) 1,1-Dichloroethene-d2      | 2.14    | 63    | 73837    | 31.87    | ug/L | 0.00   |
| Spiked Amount                  | 50.000  | Range | 60 - 125 | Recovery | =    | 63.74% |
| 21) 2-Butanone-d5              | 3.95    | 46    | 46243    | 71.26    | ug/L | 0.00   |
| Spiked Amount                  | 100.000 | Range | 40 - 130 | Recovery | =    | 71.26% |
| 24) Chloroform-d               | 4.41    | 84    | 83662    | 39.77    | ug/L | 0.00   |
| Spiked Amount                  | 50.000  | Range | 70 - 125 | Recovery | =    | 79.54% |
| 26) 1,2-Dichloroethane-d4      | 5.09    | 65    | 60134    | 44.81    | ug/L | 0.00   |
| Spiked Amount                  | 50.000  | Range | 70 - 125 | Recovery | =    | 89.62% |
| 32) Benzene-d6                 | 5.11    | 84    | 178077   | 44.67    | ug/L | 0.00   |
| Spiked Amount                  | 50.000  | Range | 70 - 125 | Recovery | =    | 89.34% |
| 36) 1,2-Dichloropropane-d6     | 6.13    | 67    | 53753    | 45.66    | ug/L | 0.00   |
| Spiked Amount                  | 50.000  | Range | 70 - 120 | Recovery | =    | 91.32% |
| 41) Toluene-d8                 | 7.36    | 98    | 180700   | 43.37    | ug/L | 0.00   |
| Spiked Amount                  | 50.000  | Range | 80 - 120 | Recovery | =    | 86.74% |
| 43) trans-1,3-Dichloropropene- | 7.67    | 79    | 21819    | 36.76    | ug/L | 0.00   |
| Spiked Amount                  | 50.000  | Range | 60 - 125 | Recovery | =    | 73.52% |
| 47) 2-Hexanone-d5              | 8.14    | 63    | 41840    | 80.70    | ug/L | 0.00   |
| Spiked Amount                  | 100.000 | Range | 45 - 130 | Recovery | =    | 80.70% |
| 57) 1,1,2,2-Tetrachloroethane- | 10.27   | 84    | 78423    | 42.67    | ug/L | 0.00   |
| Spiked Amount                  | 50.000  | Range | 65 - 120 | Recovery | =    | 85.34% |
| 64) 1,2-Dichlorobenzene-d4     | 11.68   | 152   | 84892    | 45.51    | ug/L | 0.00   |
| Spiked Amount                  | 50.000  | Range | 80 - 120 | Recovery | =    | 91.02% |

## Target Compounds

|                   |      |     |       |            | Ovalue |
|-------------------|------|-----|-------|------------|--------|
| 13) Acetone       | 2.20 | 43  | 2684  | 3.919 ug/L | 97     |
| 25) Chloroform    | 4.44 | 83  | 5246  | 2.589 ug/L | 99     |
| 33) Benzene       | 5.15 | 78  | 15984 | 3.847 ug/L | 100    |
| 51) Chlorobenzene | 8.93 | 112 | 9107  | 2.567 ug/L | 99     |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092318\  
Data File : VV007775.D  
Acq On : 23 Sep 2018 08:48  
Operator : SY/MD  
Sample : J5013-16  
Misc : 5.0 mL/MSVOA V/WATER  
ALS Vial : 49 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
C08S3

Quant Time: Sep 24 07:12:44 2018  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVLM092318WMA.M  
Quant Title : VOC Analysis  
QLast Update : Mon Sep 24 05:16:03 2018  
Response via : Initial Calibration

