

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092320\
 Data File : VV018409.D
 Acq On : 23 Sep 2020 13:20
 Operator : SY/MD
 Sample : VV0923WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK301

Quant Time: Sep 24 08:03:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SFAMVLM092320W.M
 Quant Title : VOC Analysis
 QLast Update : Thu Sep 24 07:48:50 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	301379	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	298774	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.27	152	145645	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	84423	45.15	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	90.30%
7) Chloroethane-d5	1.58	69	74586	46.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.68%
11) 1,1-Dichloroethene-d2	2.12	63	130003	33.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.32%
21) 2-Butanone-d5	3.92	46	122039	91.04	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.04%
24) Chloroform-d	4.38	84	175160	44.67	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.34%
26) 1,2-Dichloroethane-d4	5.06	65	115680	47.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.02%
32) Benzene-d6	5.08	84	352769	47.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.78%
36) 1,2-Dichloropropane-d6	6.09	67	114936	47.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.76%
41) Toluene-d8	7.34	98	316106	45.90	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.80%
43) trans-1,3-Dichloropropene-	7.64	79	55922	45.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.88%
47) 2-Hexanone-d5	8.11	63	78385	87.78	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.78%
56) 1,1,2,2-Tetrachloroethane-	10.24	84	135569	43.52	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	87.04%
66) 1,2-Dichlorobenzene-d4	11.65	152	138259	50.99	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.98%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092320\
Data File : VV018409.D
Acq On : 23 Sep 2020 13:20
Operator : SY/MD
Sample : VV0923WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK301

Quant Time: Sep 24 08:03:09 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SFAMVLM092320W.M
Quant Title : VOC Analysis
QLast Update : Thu Sep 24 07:48:50 2020
Response via : Initial Calibration

