

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092321\
 Data File : VV022303.D
 Acq On : 23 Sep 2021 23:25
 Operator : SY/MD
 Sample : M3878-05
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EW2N3

Quant Time: Sep 24 05:11:23 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092321WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Sep 24 05:07:58 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	130241	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	127911	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	56035	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	28037	4.272	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	85.400%	
7) Chloroethane-d5	1.565	69	35343	4.602	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	92.000%	
11) 1,1-Dichloroethene-d2	2.101	63	49923	3.191	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	63.800%	
20) 2-Butanone-d5	3.908	46	127081	47.386	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	94.780%	
24) Chloroform-d	4.352	84	84013	4.463	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	89.200%	
26) 1,2-Dichloroethane-d4	5.037	65	41895	4.658	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	93.200%	
32) Benzene-d6	5.050	84	166698	4.635	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.600%	
36) 1,2-Dichloropropane-d6	6.072	67	55593	4.949	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	99.000%	
41) Toluene-d8	7.320	98	137696	4.239	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	84.800%	
43) trans-1,3-Dichloroprop...	7.629	79	13460	3.923	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	78.400%	
46) 2-Hexanone-d5	8.092	63	104571	49.024	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	98.040%	
56) 1,1,2,2-Tetrachloroeth...	10.220	84	41734	4.414	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	88.200%	
66) 1,2-Dichlorobenzene-d4	11.628	152	51154	4.864	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	97.200%	
Target Compounds					Qvalue	
42) Toluene	7.400	91	4812	0.135	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092321\
Data File : VV022303.D
Acq On : 23 Sep 2021 23:25
Operator : SY/MD
Sample : M3878-05
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EW2N3

Quant Time: Sep 24 05:11:23 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR092321WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Sep 24 05:07:58 2021
Response via : Initial Calibration

