

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092418\
 Data File : VV007810.D
 Acq On : 24 Sep 2018 12:40
 Operator : SY/MD
 Sample : J5014-13
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E8JB7

Quant Time: Sep 25 02:43:42 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092318WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 25 02:11:24 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	187203	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	182319	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	98062	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	41944	41.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	82.44%
7) Chloroethane-d5	1.59	69	42650	46.13	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	92.26%
11) 1,1-Dichloroethene-d2	2.14	63	83216	34.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.38%
21) 2-Butanone-d5	3.95	46	56978	84.79	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	84.79%
24) Chloroform-d	4.41	84	93353	42.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.72%
26) 1,2-Dichloroethane-d4	5.09	65	66073	47.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.10%
32) Benzene-d6	5.11	84	196008	46.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.54%
36) 1,2-Dichloropropane-d6	6.13	67	56962	46.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.06%
41) Toluene-d8	7.36	98	198019	45.22	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.44%
43) trans-1,3-Dichloropropene-	7.67	79	26113	41.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.70%
47) 2-Hexanone-d5	8.14	63	44275	81.24	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	81.24%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	86868	44.97	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.94%
64) 1,2-Dichlorobenzene-d4	11.68	152	94939	47.06	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.12%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092418\
Data File : VV007810.D
Acq On : 24 Sep 2018 12:40
Operator : SY/MD
Sample : J5014-13
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E8JB7

Quant Time: Sep 25 02:43:42 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092318WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 25 02:11:24 2018
Response via : Initial Calibration

