

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092418\
 Data File : VV007833.D
 Acq On : 24 Sep 2018 22:17
 Operator : SY/MD
 Sample : J5043-08
 Misc : 5.0 mL/MSVOA V/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E5FE8

Quant Time: Sep 25 04:57:06 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092318WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 25 04:04:32 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	193010	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	187458	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	96965	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	35514	33.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	67.70%
7) Chloroethane-d5	1.59	69	38854	40.76	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.52%
11) 1,1-Dichloroethene-d2	2.14	63	72911	29.48	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	58.96%#
21) 2-Butanone-d5	3.95	46	50804	73.33	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	73.33%
24) Chloroform-d	4.41	84	84900	37.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	75.60%
26) 1,2-Dichloroethane-d4	5.09	65	62068	43.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.66%
32) Benzene-d6	5.11	84	176216	40.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	81.80%
36) 1,2-Dichloropropane-d6	6.13	67	54336	42.70	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	85.40%
41) Toluene-d8	7.36	98	176834	39.27	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	78.54%#
43) trans-1,3-Dichloropropene-	7.67	79	22021	34.33	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.66%
47) 2-Hexanone-d5	8.14	63	40786	72.79	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	72.79%
57) 1,1,2,2-Tetrachloroethane-	10.27	84	82999	41.79	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	83.58%
64) 1,2-Dichlorobenzene-d4	11.68	152	84565	42.40	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	84.80%


Target Compounds					Ovalue
13) Acetone	2.19	43	1742	2.383 ug/L	94
46) Tetrachloroethene	8.02	164	44542	32.772 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092418\
Data File : VV007833.D
Acq On : 24 Sep 2018 22:17
Operator : SY/MD
Sample : J5043-08
Misc : 5.0 mL/MSVOA V/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E5FE8

Quant Time: Sep 25 04:57:06 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092318WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 25 04:04:32 2018
Response via : Initial Calibration





#13

Acetone

Concen: 2.383 ug/L

RT: 2.19 min Scan# 342

Delta R.T. -0.01 min

Lab File: VV007833.D

Acq: 24 Sep 2018 22:17

Instrument :

MSVOA_V

ClientSampleId :


E5FE8

Tot Ion: 43 Resp: 1742

Ion Ratio Lower Upper




43 100

58 29.5 0.0 65.2



Abundance Ion 43.00 (42.70 to 43.70): VV007804.D (-332) (-)

Ion 58.00 (57.70 to 58.70): VV007804.D (-332) (-)



#46

Tetrachloroethene

Concen: 32.772 ug/L

RT: 8.02 min Scan# 2156

Delta R.T. 0.00 min

Lab File: VV007833.D

Acq: 24 Sep 2018 22:17

Tgt Ion: 164 Resp: 44542


Ion Ratio Lower Upper

164 100

129 84.9 61.0 113.4

131 84.3 57.8 107.4

166 127.5 89.9 167.0



Abundance Ion 164.00 (163.70 to 164.70): VV007804.D (-2143) (-)

Ion 129.00 (128.70 to 129.70): VV007804.D (-2143) (-)

Ion 131.00 (130.70 to 131.70): VV007804.D (-2143) (-)

Ion 166.00 (165.70 to 166.70): VV007804.D (-2143) (-)

