

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092520\
 Data File : VV018452.D
 Acq On : 25 Sep 2020 13:59
 Operator : SY/MD
 Sample : L4110-12
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AL5

Quant Time: Sep 26 02:33:04 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Sep 25 23:36:18 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	369848	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	356728	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	185375	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	139050	46.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.26%
7) Chloroethane-d5	1.58	69	114966	46.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.22%
11) 1,1-Dichloroethene-d2	2.12	63	193625	35.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.04%
21) 2-Butanone-d5	3.91	46	172870	93.70	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.70%
24) Chloroform-d	4.38	84	234778	44.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.78%
26) 1,2-Dichloroethane-d4	5.06	65	152848	45.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.20%
32) Benzene-d6	5.08	84	502033	49.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.32%
36) 1,2-Dichloropropane-d6	6.09	67	158171	48.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.50%
41) Toluene-d8	7.34	98	461865	49.63	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.26%
43) trans-1,3-Dichloropropene-	7.64	79	78391	47.54	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.08%
47) 2-Hexanone-d5	8.11	63	109034	88.71	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.71%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	186574	45.81	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	91.62%
64) 1,2-Dichlorobenzene-d4	11.65	152	193097	50.72	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	101.44%

Target Compounds					Ovalue
13) Acetone	2.20	43	13223	8.951 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092520\
Data File : VV018452.D
Acq On : 25 Sep 2020 13:59
Operator : SY/MD
Sample : L4110-12
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AL5

Quant Time: Sep 26 02:33:04 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Sep 25 23:36:18 2020
Response via : Initial Calibration

