

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092520\
 Data File : VV018463.D
 Acq On : 25 Sep 2020 18:09
 Operator : SY/MD
 Sample : L4108-16
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3P9

Quant Time: Sep 26 03:32:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 26 02:48:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	387868	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	371579	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	188267	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	133497	42.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.46%
7) Chloroethane-d5	1.58	69	110735	42.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.62%
11) 1,1-Dichloroethene-d2	2.12	63	187216	32.29	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.58%
21) 2-Butanone-d5	3.91	46	165006	85.28	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	85.28%
24) Chloroform-d	4.38	84	228482	41.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.32%
26) 1,2-Dichloroethane-d4	5.06	65	149183	42.43	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.86%
32) Benzene-d6	5.08	84	489263	45.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.98%
36) 1,2-Dichloropropane-d6	6.09	67	153283	45.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.70%
41) Toluene-d8	7.34	98	437367	45.12	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.24%
43) trans-1,3-Dichloropropene-	7.64	79	74848	43.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.16%
47) 2-Hexanone-d5	8.11	63	100086	78.18	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	78.18%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	173872	40.99	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	81.98%
64) 1,2-Dichlorobenzene-d4	11.65	152	183435	47.44	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.88%

Target Compounds					Ovalue
13) Acetone	2.20	43	5935	3.831 ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092520\
Data File : VV018463.D
Acq On : 25 Sep 2020 18:09
Operator : SY/MD
Sample : L4108-16
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG3P9

Quant Time: Sep 26 03:32:58 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 26 02:48:35 2020
Response via : Initial Calibration

