

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092520\
 Data File : VV018478.D
 Acq On : 25 Sep 2020 23:48
 Operator : SY/MD
 Sample : L4117-11
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0AC9

Quant Time: Sep 26 04:29:26 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Sep 26 02:48:35 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	359007	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	344939	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	171435	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	121004	41.36	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	82.72%
7) Chloroethane-d5	1.58	69	102071	42.63	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.26%
11) 1,1-Dichloroethene-d2	2.12	63	171793	32.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	64.02%
21) 2-Butanone-d5	3.92	46	159617	89.13	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	89.13%
24) Chloroform-d	4.38	84	217290	42.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	85.62%
26) 1,2-Dichloroethane-d4	5.06	65	142642	43.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.68%
32) Benzene-d6	5.08	84	456851	46.26	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.52%
36) 1,2-Dichloropropane-d6	6.09	67	146621	46.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.46%
41) Toluene-d8	7.34	98	410812	45.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.30%
43) trans-1,3-Dichloropropene-	7.64	79	67790	42.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.04%
47) 2-Hexanone-d5	8.11	63	90218	75.91	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	75.91%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	161483	41.01	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	82.02%
64) 1,2-Dichlorobenzene-d4	11.65	152	169425	48.12	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.24%

Target Compounds					Ovalue
13) Acetone	2.21	43	17974	12.534 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092520\
Data File : VV018478.D
Acq On : 25 Sep 2020 23:48
Operator : SY/MD
Sample : L4117-11
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0AC9

Quant Time: Sep 26 04:29:26 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Sep 26 02:48:35 2020
Response via : Initial Calibration

