

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
 Data File : VV037509.D
 Acq On : 25 Sep 2024 09:27
 Operator : SY/MD
 Sample : VV0925WBL01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK211

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037509.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	35	42	52	rBV	38284	60352	2.34%	0.313%
2	1.282	67	75	93	rVB	337482	374749	14.50%	1.945%
3	1.532	146	153	171	rVB	300275	351955	13.62%	1.827%
4	2.060	307	317	341	rBV	615759	895689	34.66%	4.648%
5	3.243	681	685	688	rVB4	1259	889	0.03%	0.005%
6	3.265	688	692	694	rBV4	1114	780	0.03%	0.004%
7	3.388	724	730	733	rBV6	969	951	0.04%	0.005%
8	3.494	759	763	765	rBV3	766	661	0.03%	0.003%
9	3.677	817	820	822	rBV3	868	591	0.02%	0.003%
10	3.793	847	856	889	rBV	109255	330731	12.80%	1.716%
11	4.121	956	958	961	rVB3	1156	652	0.03%	0.003%
12	4.146	961	966	967	rBV2	699	529	0.02%	0.003%
13	4.185	974	978	979	rBV3	1428	911	0.04%	0.005%
14	4.243	980	996	1029	rVV	412877	1055129	40.83%	5.476%
15	4.561	1090	1095	1096	rBV4	707	613	0.02%	0.003%
16	4.625	1112	1115	1123	rVB4	1023	845	0.03%	0.004%
17	4.661	1123	1126	1128	rBV2	687	516	0.02%	0.003%
18	4.709	1137	1141	1142	rBV2	1040	601	0.02%	0.003%
19	4.777	1158	1162	1165	rVB2	980	743	0.03%	0.004%
20	4.802	1165	1170	1173	rBV4	1110	973	0.04%	0.005%
21	4.844	1179	1183	1189	rVB5	1110	1058	0.04%	0.005%
22	4.950	1198	1216	1254	rBV2	1009425	2584116	100.00%	13.411%
23	5.233	1301	1304	1307	rVV5	969	573	0.02%	0.003%
24	5.278	1314	1318	1319	rBV3	1059	755	0.03%	0.004%
25	5.371	1345	1347	1351	rVB5	662	514	0.02%	0.003%
26	5.410	1355	1359	1361	rBV4	1001	870	0.03%	0.005%
27	5.423	1361	1363	1367	rVB3	917	540	0.02%	0.003%
28	5.481	1378	1381	1383	rBV3	1623	851	0.03%	0.004%
29	5.529	1383	1396	1433	rBV	804388	1669704	64.61%	8.665%
30	5.828	1481	1489	1490	rBV5	5496	5161	0.20%	0.027%
31	5.982	1524	1537	1570	rBV	563836	1171064	45.32%	6.077%
32	6.265	1623	1625	1629	rVB2	933	566	0.02%	0.003%
33	6.352	1648	1652	1655	rVB4	1245	928	0.04%	0.005%
34	6.394	1663	1665	1671	rVB4	713	534	0.02%	0.003%
35	6.510	1698	1701	1703	rBV3	977	538	0.02%	0.003%
36	6.526	1703	1706	1711	rVB6	1165	1056	0.04%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
 Data File : VV037509.D
 Acq On : 25 Sep 2024 09:27
 Operator : SY/MD
 Sample : VV0925WBL01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK211

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

37	6.568	1716	1719	1723	rBV3	862	722	0.03%	0.004%
38	6.593	1723	1727	1731	rVB6	925	642	0.02%	0.003%
39	6.648	1739	1744	1746	rBV3	790	750	0.03%	0.004%
40	6.674	1748	1752	1756	rVB4	1184	983	0.04%	0.005%
41	6.706	1756	1762	1766	rBV4	678	641	0.02%	0.003%
42	6.735	1766	1771	1774	rBV5	773	566	0.02%	0.003%
43	6.760	1774	1779	1783	rBV5	1042	937	0.04%	0.005%
44	6.908	1814	1825	1853	rBV	303567	585521	22.66%	3.039%
45	7.236	1916	1927	1954	rBV	1151830	2037246	78.84%	10.573%
46	7.548	2015	2024	2047	rBV	196435	369843	14.31%	1.919%
47	8.024	2163	2172	2209	rBV2	332073	722928	27.98%	3.752%
48	8.522	2323	2327	2329	rVB5	660	540	0.02%	0.003%
49	8.539	2329	2332	2333	rBV2	1124	645	0.02%	0.003%
50	8.719	2385	2388	2392	rVB4	905	588	0.02%	0.003%
51	8.776	2395	2406	2440	rBV	1221278	2039593	78.93%	10.585%
52	9.249	2551	2553	2559	rVV3	784	735	0.03%	0.004%
53	9.339	2572	2581	2584	rBV7	1115	1405	0.05%	0.007%
54	9.487	2625	2627	2632	rVV5	801	819	0.03%	0.004%
55	9.574	2649	2654	2658	rBV5	1028	800	0.03%	0.004%
56	9.792	2720	2722	2727	rVB3	750	568	0.02%	0.003%
57	10.059	2802	2805	2810	rVB4	799	567	0.02%	0.003%
58	10.088	2810	2814	2819	rBV4	999	1071	0.04%	0.006%
59	10.146	2819	2832	2850	rBV	646437	1024003	39.63%	5.314%
60	10.249	2862	2864	2869	rVB4	1817	1187	0.05%	0.006%
61	10.278	2870	2873	2878	rVB4	1108	667	0.03%	0.003%
62	10.339	2890	2892	2899	rVB6	1145	876	0.03%	0.005%
63	10.416	2912	2916	2919	rBV3	846	829	0.03%	0.004%
64	10.448	2924	2926	2929	rVB3	1393	774	0.03%	0.004%
65	10.481	2930	2936	2941	rVB6	1210	1433	0.06%	0.007%
66	10.519	2946	2948	2951	rVB2	991	517	0.02%	0.003%
67	10.786	3026	3031	3034	rBV4	1157	877	0.03%	0.005%
68	10.879	3057	3060	3066	rVB3	1429	1367	0.05%	0.007%
69	11.124	3130	3136	3140	rBV7	2156	2859	0.11%	0.015%
70	11.178	3142	3153	3188	rBV	1263167	2006113	77.63%	10.411%
71	11.403	3221	3223	3226	rVB4	1150	627	0.02%	0.003%
72	11.554	3256	3270	3301	rBV	1155257	1891141	73.18%	9.814%
73	11.741	3325	3328	3332	rBV7	759	673	0.03%	0.003%
74	11.837	3356	3358	3363	rBV3	812	659	0.03%	0.003%
75	11.870	3365	3368	3370	rBV	1049	536	0.02%	0.003%
76	11.972	3398	3400	3408	rVB6	793	685	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
 Data File : VV037509.D
 Acq On : 25 Sep 2024 09:27
 Operator : SY/MD
 Sample : VV0925WBL01
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK211

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

77	12.284	3495	3497	3499	rBV2	916	518	0.02%	0.003%
78	12.506	3560	3566	3567	rBV	888	758	0.03%	0.004%
79	12.516	3567	3569	3574	rVB4	699	624	0.02%	0.003%
80	12.574	3582	3587	3590	rBV5	1319	1458	0.06%	0.008%
81	12.593	3590	3593	3594	rBV3	1482	846	0.03%	0.004%
82	12.654	3609	3612	3617	rBV4	658	690	0.03%	0.004%
83	12.696	3621	3625	3628	rBV3	971	829	0.03%	0.004%
84	12.715	3628	3631	3634	rVV3	1253	881	0.03%	0.005%
85	12.953	3702	3705	3707	rVB2	1149	533	0.02%	0.003%
86	13.101	3746	3751	3754	rVV6	817	974	0.04%	0.005%
87	13.207	3777	3784	3796	rBV6	3683	6797	0.26%	0.035%
88	13.339	3821	3825	3828	rVV4	853	694	0.03%	0.004%
89	13.448	3852	3859	3869	rBV3	9182	15080	0.58%	0.078%
90	13.593	3901	3904	3907	rVB3	889	582	0.02%	0.003%
91	13.683	3924	3932	3937	rBV10	4341	6350	0.25%	0.033%
92	13.792	3960	3966	3975	rVB9	1292	1999	0.08%	0.010%
93	13.934	4007	4010	4012	rBV3	836	562	0.02%	0.003%
94	13.976	4018	4023	4025	rBV4	1951	1702	0.07%	0.009%
95	14.172	4076	4084	4087	rBV6	1462	2041	0.08%	0.011%
96	14.191	4087	4090	4094	rVB3	823	603	0.02%	0.003%
97	14.287	4116	4120	4122	rBV2	845	641	0.02%	0.003%
98	14.371	4142	4146	4149	rBV5	1020	811	0.03%	0.004%
99	14.468	4172	4176	4177	rBV4	853	626	0.02%	0.003%
100	14.953	4324	4327	4329	rBV4	1045	762	0.03%	0.004%




Sum of corrected areas: 19268982

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
Data File : VV037509.D
Acq On : 25 Sep 2024 09:27
Operator : SY/MD
Sample : VV0925WBL01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK211

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
Data File : VV037509.D
Acq On : 25 Sep 2024 09:27
Operator : SY/MD
Sample : VV0925WBL01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK211

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
Data File : VV037509.D
Acq On : 25 Sep 2024 09:27
Operator : SY/MD
Sample : VV0925WBL01
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK211

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
