

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
 Data File : VV037521.D
 Acq On : 25 Sep 2024 14:08
 Operator : SY/MD
 Sample : P4131-19
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FC1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M

Title : VOC Analysis

Signal : TIC: VV037521.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.172	33	41	53	rBV	34879	57960	2.36%	0.320%
2	1.278	67	74	91	rVB	316282	337173	13.72%	1.863%
3	1.349	91	96	105	rVB	6580	7831	0.32%	0.043%
4	1.532	145	153	168	rVB	278098	331204	13.48%	1.830%
5	2.060	307	317	328	rBV	556758	807702	32.86%	4.463%
6	3.256	686	689	691	rBV3	1183	724	0.03%	0.004%
7	3.330	709	712	715	rVB4	1043	627	0.03%	0.003%
8	3.352	715	719	722	rBV4	1005	898	0.04%	0.005%
9	3.436	741	745	748	rBV3	1165	970	0.04%	0.005%
10	3.587	787	792	796	rBV5	828	1100	0.04%	0.006%
11	3.699	824	827	830	rVB2	985	501	0.02%	0.003%
12	3.793	847	856	889	rBV	118589	328300	13.36%	1.814%
13	4.243	979	996	1025	rBV	391438	1005640	40.92%	5.556%
14	4.455	1059	1062	1070	rBV6	910	1267	0.05%	0.007%
15	4.529	1083	1085	1087	rBV	918	487	0.02%	0.003%
16	4.629	1111	1116	1117	rBV4	878	687	0.03%	0.004%
17	4.709	1136	1141	1145	rVB4	705	583	0.02%	0.003%
18	4.754	1150	1155	1158	rVB4	640	565	0.02%	0.003%
19	4.950	1200	1216	1244	rBV2	969128	2457743	100.00%	13.579%
20	5.310	1326	1328	1333	rVB4	1170	889	0.04%	0.005%
21	5.339	1335	1337	1342	rVB4	1084	909	0.04%	0.005%
22	5.404	1351	1357	1362	rVB7	741	882	0.04%	0.005%
23	5.449	1367	1371	1375	rBV4	1203	1217	0.05%	0.007%
24	5.529	1378	1396	1430	rBV	707712	1466775	59.68%	8.104%
25	5.825	1478	1488	1500	rVV6	9505	21368	0.87%	0.118%
26	5.982	1524	1537	1564	rBV	540011	1121597	45.64%	6.197%
27	6.262	1621	1624	1629	rBV4	774	855	0.03%	0.005%
28	6.317	1638	1641	1647	rVB6	889	715	0.03%	0.004%
29	6.481	1688	1692	1694	rVB5	1050	718	0.03%	0.004%
30	6.641	1738	1742	1745	rBV3	798	575	0.02%	0.003%
31	6.703	1756	1761	1763	rVV2	1349	1043	0.04%	0.006%
32	6.722	1765	1767	1772	rVB3	1090	1015	0.04%	0.006%
33	6.805	1790	1793	1795	rVB	946	504	0.02%	0.003%
34	6.908	1814	1825	1855	rBV2	281577	547225	22.27%	3.023%
35	7.117	1885	1890	1895	rVB8	1278	1529	0.06%	0.008%
36	7.175	1903	1908	1910	rBV5	866	836	0.03%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
Data File : VV037521.D
Acq On : 25 Sep 2024 14:08
Operator : SY/MD
Sample : P4131-19
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FC1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Title : VOC Analysis

37	7.236	1915	1927	1956	rBV	1088599	1930595	78.55%	10.667%
38	7.548	2014	2024	2057	rBV	184862	358896	14.60%	1.983%
39	7.866	2117	2123	2131	rVV8	2478	3650	0.15%	0.020%
40	7.915	2135	2138	2142	rBV5	1111	1014	0.04%	0.006%
41	7.976	2148	2157	2159	rBV5	4750	4401	0.18%	0.024%
42	8.024	2163	2172	2209	rVV2	348805	736073	29.95%	4.067%
43	8.394	2283	2287	2289	rBV4	1308	1122	0.05%	0.006%
44	8.432	2295	2299	2302	rBV5	1336	1218	0.05%	0.007%
45	8.654	2362	2368	2372	rBV6	2081	2758	0.11%	0.015%
46	8.780	2395	2407	2434	rBV	1078072	1809521	73.63%	9.998%
47	8.973	2465	2467	2471	rVB4	1170	598	0.02%	0.003%
48	8.998	2471	2475	2476	rBV3	917	691	0.03%	0.004%
49	9.217	2534	2543	2556	rBV5	9386	22332	0.91%	0.123%
50	9.371	2588	2591	2594	rVB4	901	616	0.03%	0.003%
51	9.391	2594	2597	2601	rBV5	1037	1012	0.04%	0.006%
52	9.487	2624	2627	2628	rBV3	844	540	0.02%	0.003%
53	9.535	2638	2642	2644	rBV4	665	501	0.02%	0.003%
54	9.600	2659	2662	2668	rVB5	1494	1106	0.05%	0.006%
55	9.715	2687	2698	2711	rVV8	6988	12631	0.51%	0.070%
56	9.841	2734	2737	2739	rBV3	1128	680	0.03%	0.004%
57	9.886	2743	2751	2764	rVV8	14684	24534	1.00%	0.136%
58	9.966	2771	2776	2780	rBV6	719	827	0.03%	0.005%
59	10.011	2784	2790	2792	rBV3	700	566	0.02%	0.003%
60	10.069	2804	2808	2813	rBV4	884	881	0.04%	0.005%
61	10.146	2816	2832	2852	rBV	646639	1029050	41.87%	5.686%
62	10.320	2878	2886	2892	rBV5	3739	5637	0.23%	0.031%
63	10.352	2894	2896	2900	rVB3	1566	751	0.03%	0.004%
64	10.452	2924	2927	2928	rBV3	915	608	0.02%	0.003%
65	10.471	2928	2933	2943	rVV10	2229	3837	0.16%	0.021%
66	10.561	2953	2961	2972	rBV6	5092	7814	0.32%	0.043%
67	10.635	2976	2984	2991	rBV7	7291	10362	0.42%	0.057%
68	10.812	3024	3039	3040	rBV9	2990	4720	0.19%	0.026%
69	10.989	3090	3094	3104	rVB9	3953	5870	0.24%	0.032%
70	11.037	3106	3109	3111	rBV3	1438	948	0.04%	0.005%
71	11.120	3127	3135	3143	rBV8	13661	21026	0.86%	0.116%
72	11.178	3143	3153	3181	rVV	1121010	1757868	71.52%	9.712%
73	11.468	3239	3243	3246	rBV5	2598	2393	0.10%	0.013%
74	11.554	3258	3270	3296	rBV	1109581	1760276	71.62%	9.726%
75	11.841	3351	3359	3365	rBV8	4212	6663	0.27%	0.037%
76	11.947	3383	3392	3393	rBV5	4754	5137	0.21%	0.028%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
 Data File : VV037521.D
 Acq On : 25 Sep 2024 14:08
 Operator : SY/MD
 Sample : P4131-19
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 A4FC1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
 Title : VOC Analysis

77	12.059	3423	3427	3432	rVB6	1305	1514	0.06%	0.008%
78	12.085	3432	3435	3438	rBV3	1171	726	0.03%	0.004%
79	12.268	3488	3492	3495	rVB5	1487	1179	0.05%	0.007%
80	12.654	3607	3612	3614	rBV5	1861	1821	0.07%	0.010%
81	12.934	3693	3699	3700	rBV4	1929	1705	0.07%	0.009%
82	12.985	3712	3715	3719	rBV2	869	557	0.02%	0.003%
83	13.117	3753	3756	3760	rVB3	1143	1006	0.04%	0.006%
84	13.143	3760	3764	3767	rBV3	1064	938	0.04%	0.005%
85	13.175	3772	3774	3779	rVB5	1086	494	0.02%	0.003%
86	13.220	3786	3788	3791	rBV4	972	577	0.02%	0.003%
87	13.323	3818	3820	3823	rBV2	870	562	0.02%	0.003%
88	13.525	3879	3883	3884	rBV4	1065	680	0.03%	0.004%
89	13.538	3884	3887	3892	rVB5	1431	1342	0.05%	0.007%
90	13.561	3892	3894	3897	rBV3	1342	819	0.03%	0.005%
91	13.660	3923	3925	3929	rBV4	814	489	0.02%	0.003%
92	13.815	3969	3973	3976	rBV3	1060	742	0.03%	0.004%
93	13.976	4020	4023	4033	rVB6	2805	3496	0.14%	0.019%
94	14.053	4044	4047	4053	rBV6	1172	1204	0.05%	0.007%
95	14.088	4055	4058	4062	rBV3	863	928	0.04%	0.005%
96	14.143	4068	4075	4080	rBV8	1327	2053	0.08%	0.011%
97	14.345	4130	4138	4146	rVB7	8866	14043	0.57%	0.078%
98	14.529	4192	4195	4196	rBV2	1881	1067	0.04%	0.006%
99	14.702	4247	4249	4250	rBV2	1618	674	0.03%	0.004%
100	15.056	4352	4359	4370	rVB10	5970	10435	0.42%	0.058%




Sum of corrected areas: 18099388

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
Data File : VV037521.D
Acq On : 25 Sep 2024 14:08
Operator : SY/MD
Sample : P4131-19
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FC1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
Data File : VV037521.D
Acq On : 25 Sep 2024 14:08
Operator : SY/MD
Sample : P4131-19
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FC1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092524\
Data File : VV037521.D
Acq On : 25 Sep 2024 14:08
Operator : SY/MD
Sample : P4131-19
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
A4FC1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM082624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------