

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037602.D
 Acq On : 27 Sep 2024 13:49
 Operator : SY/MD
 Sample : P4184-09
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY037

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037602.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	94	rVB	326540	355784	14.80%	1.860%
2	1.532	146	153	170	rVB	276831	326274	13.57%	1.706%
3	2.059	307	317	338	rBV2	606767	907630	37.76%	4.745%
4	3.104	631	642	665	rVB	318138	664214	27.63%	3.472%
5	3.378	725	727	729	rBV	534	293	0.01%	0.002%
6	3.561	781	784	786	rBV4	584	366	0.02%	0.002%
7	3.683	819	822	825	rVB4	1065	760	0.03%	0.004%
8	3.699	825	827	831	rBV3	343	209	0.01%	0.001%
9	3.796	848	857	897	rBV3	128618	395213	16.44%	2.066%
10	4.243	982	996	1029	rVB	383469	990964	41.22%	5.180%
11	4.423	1049	1052	1055	rBV5	1056	737	0.03%	0.004%
12	4.506	1061	1078	1107	rVB2	280852	707391	29.43%	3.698%
13	4.731	1146	1148	1152	rVB3	603	283	0.01%	0.001%
14	4.776	1160	1162	1163	rBV	445	195	0.01%	0.001%
15	4.834	1175	1180	1181	rBV3	774	488	0.02%	0.003%
16	4.876	1191	1193	1195	rBV2	458	232	0.01%	0.001%
17	4.950	1200	1216	1256	rBV2	953997	2403829	100.00%	12.566%
18	5.407	1354	1358	1365	rVB6	1331	1605	0.07%	0.008%
19	5.442	1367	1369	1370	rBV3	750	270	0.01%	0.001%
20	5.481	1377	1381	1382	rBV4	729	544	0.02%	0.003%
21	5.529	1385	1396	1433	rBV	690106	1440277	59.92%	7.529%
22	5.837	1481	1492	1513	rBV6	26804	63520	2.64%	0.332%
23	5.985	1525	1538	1572	rBV	529786	1094696	45.54%	5.722%
24	6.310	1636	1639	1643	rBV3	761	659	0.03%	0.003%
25	6.355	1649	1653	1654	rBV4	802	599	0.02%	0.003%
26	6.442	1678	1680	1681	rBV	825	367	0.02%	0.002%
27	6.487	1692	1694	1696	rBV2	570	258	0.01%	0.001%
28	6.535	1705	1709	1711	rBV2	719	585	0.02%	0.003%
29	6.548	1711	1713	1717	rVB4	514	352	0.01%	0.002%
30	6.599	1727	1729	1730	rVB2	603	193	0.01%	0.001%
31	6.609	1730	1732	1737	rVB3	863	524	0.02%	0.003%
32	6.635	1737	1740	1743	rBV3	801	664	0.03%	0.003%
33	6.664	1746	1749	1751	rBV4	654	383	0.02%	0.002%
34	6.754	1775	1777	1779	rBV2	605	245	0.01%	0.001%
35	6.770	1779	1782	1783	rBV	635	294	0.01%	0.002%
36	6.828	1798	1800	1803	rBV2	441	237	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037602.D
 Acq On : 27 Sep 2024 13:49
 Operator : SY/MD
 Sample : P4184-09
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY037

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	6.857	1808	1809	1812	rBV2	428	187	0.01%	0.001%
38	6.870	1812	1813	1815	rBV2	459	242	0.01%	0.001%
39	6.911	1815	1826	1845	rBV	275098	519012	21.59%	2.713%
40	7.239	1916	1928	1965	rBV	1082325	1936034	80.54%	10.121%
41	7.551	2015	2025	2053	rBV	181041	347517	14.46%	1.817%
42	7.905	2124	2135	2152	rVB3	52807	95025	3.95%	0.497%
43	8.024	2164	2172	2215	rBV2	306193	673739	28.03%	3.522%
44	8.468	2308	2310	2311	rBV2	863	384	0.02%	0.002%
45	8.741	2390	2395	2396	rBV4	865	749	0.03%	0.004%
46	8.779	2396	2407	2446	rVV	1083073	1792367	74.56%	9.370%
47	9.268	2557	2559	2562	rVB2	737	428	0.02%	0.002%
48	9.300	2566	2569	2572	rBV3	1273	1019	0.04%	0.005%
49	9.403	2598	2601	2603	rVB4	803	476	0.02%	0.002%
50	9.423	2603	2607	2609	rBV4	1093	838	0.03%	0.004%
51	9.448	2612	2615	2616	rBV3	517	306	0.01%	0.002%
52	9.487	2624	2627	2629	rBV3	1160	813	0.03%	0.004%
53	9.641	2669	2675	2677	rBV3	766	641	0.03%	0.003%
54	9.654	2677	2679	2681	rBV3	379	241	0.01%	0.001%
55	9.718	2692	2699	2702	rBV4	779	917	0.04%	0.005%
56	9.747	2704	2708	2710	rVV3	609	335	0.01%	0.002%
57	9.808	2724	2727	2728	rBV2	517	322	0.01%	0.002%
58	9.850	2738	2740	2743	rBV3	526	453	0.02%	0.002%
59	9.908	2754	2758	2759	rBV2	405	270	0.01%	0.001%
60	9.934	2764	2766	2768	rVB2	530	213	0.01%	0.001%
61	9.976	2776	2779	2782	rBV3	738	464	0.02%	0.002%
62	10.033	2790	2797	2802	rBV4	766	961	0.04%	0.005%
63	10.072	2802	2809	2810	rBV2	714	691	0.03%	0.004%
64	10.146	2821	2832	2864	rBV	612875	982477	40.87%	5.136%
65	10.410	2908	2914	2916	rBV3	1174	857	0.04%	0.004%
66	10.480	2932	2936	2937	rBV4	1089	623	0.03%	0.003%
67	10.509	2941	2945	2947	rBV4	813	441	0.02%	0.002%
68	10.615	2974	2978	2979	rBV2	379	278	0.01%	0.001%
69	10.667	2991	2994	2996	rBV3	414	230	0.01%	0.001%
70	10.680	2996	2998	2999	rBV2	523	235	0.01%	0.001%
71	10.738	3012	3016	3018	rBV2	351	221	0.01%	0.001%
72	10.754	3018	3021	3022	rBV	579	327	0.01%	0.002%
73	10.792	3029	3033	3038	rVB4	1090	1045	0.04%	0.005%
74	10.815	3038	3040	3042	rBV2	359	212	0.01%	0.001%
75	10.976	3089	3090	3094	rBV2	528	196	0.01%	0.001%
76	11.040	3107	3110	3112	rBV2	802	570	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037602.D
 Acq On : 27 Sep 2024 13:49
 Operator : SY/MD
 Sample : P4184-09
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY037

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	11.088	3123	3125	3128	rBV3	712	434	0.02%	0.002%
78	11.120	3132	3135	3136	rBV2	1264	639	0.03%	0.003%
79	11.178	3142	3153	3191	rBV	1050093	1676791	69.76%	8.765%
80	11.554	3258	3270	3300	rBV	1075583	1717004	71.43%	8.976%
81	11.943	3386	3391	3394	rBV6	1587	1309	0.05%	0.007%
82	12.152	3454	3456	3459	rVB2	796	293	0.01%	0.002%
83	12.165	3459	3460	3462	rBV	350	172	0.01%	0.001%
84	12.393	3529	3531	3533	rBV2	492	294	0.01%	0.002%
85	12.506	3564	3566	3571	rVB5	1043	772	0.03%	0.004%
86	12.529	3571	3573	3575	rBV2	598	366	0.02%	0.002%
87	12.590	3590	3592	3593	rBV2	649	361	0.02%	0.002%
88	12.635	3604	3606	3608	rBV	460	205	0.01%	0.001%
89	12.709	3626	3629	3630	rBV2	925	472	0.02%	0.002%
90	12.770	3646	3648	3650	rBV2	613	238	0.01%	0.001%
91	12.898	3685	3688	3689	rBV2	814	424	0.02%	0.002%
92	12.992	3713	3717	3719	rBV2	1117	695	0.03%	0.004%
93	13.123	3756	3758	3761	rBV3	525	340	0.01%	0.002%
94	13.210	3781	3785	3788	rBV5	1419	1374	0.06%	0.007%
95	13.297	3810	3812	3814	rBV	787	414	0.02%	0.002%
96	13.352	3827	3829	3832	rVB4	900	407	0.02%	0.002%
97	13.368	3832	3834	3838	rBV2	711	466	0.02%	0.002%
98	13.625	3911	3914	3917	rBV3	1113	967	0.04%	0.005%
99	13.731	3944	3947	3948	rBV2	771	462	0.02%	0.002%
100	14.246	4104	4107	4110	rBV4	1726	1343	0.06%	0.007%

Sum of corrected areas: 19129732




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037602.D
Acq On : 27 Sep 2024 13:49
Operator : SY/MD
Sample : P4184-09
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY037

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037602.D
Acq On : 27 Sep 2024 13:49
Operator : SY/MD
Sample : P4184-09
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY037

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037602.D
Acq On : 27 Sep 2024 13:49
Operator : SY/MD
Sample : P4184-09
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY037

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
