

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037619.D
 Acq On : 27 Sep 2024 20:17
 Operator : SY/MD
 Sample : P4184-19
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY045

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037619.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	90	rVB	312461	335914	14.28%	1.698%
2	1.532	146	153	169	rVB	272807	317499	13.50%	1.604%
3	2.060	308	317	336	rBV2	614168	933949	39.71%	4.720%
4	3.105	633	642	666	rVB	283950	578693	24.61%	2.924%
5	3.484	758	760	768	rBV5	769	870	0.04%	0.004%
6	3.587	790	792	793	rBV2	563	142	0.01%	0.001%
7	3.603	793	797	801	rVB	398	339	0.01%	0.002%
8	3.629	801	805	809	rBV3	699	761	0.03%	0.004%
9	3.683	820	822	823	rBV2	383	183	0.01%	0.001%
10	3.709	827	830	832	rVV3	706	427	0.02%	0.002%
11	3.748	840	842	843	rBV3	551	269	0.01%	0.001%
12	3.799	848	858	890	rBV2	124965	376542	16.01%	1.903%
13	4.243	980	996	1025	rBV	384630	985370	41.90%	4.979%
14	4.507	1058	1078	1102	rBV	600068	1550233	65.92%	7.834%
15	4.751	1152	1154	1159	rVB2	676	483	0.02%	0.002%
16	4.777	1159	1162	1164	rBV	593	334	0.01%	0.002%
17	4.822	1175	1176	1177	rBV	410	128	0.01%	0.001%
18	4.950	1200	1216	1253	rBV2	918756	2351629	100.00%	11.884%
19	5.317	1327	1330	1333	rBV4	981	696	0.03%	0.004%
20	5.391	1351	1353	1355	rBV2	386	142	0.01%	0.001%
21	5.439	1365	1368	1371	rBV3	940	668	0.03%	0.003%
22	5.529	1385	1396	1433	rBV	701523	1458047	62.00%	7.368%
23	5.986	1525	1538	1563	rBV	512162	1066059	45.33%	5.387%
24	6.285	1628	1631	1633	rBV3	899	616	0.03%	0.003%
25	6.510	1700	1701	1702	rVB3	428	83	0.00%	0.000%
26	6.519	1702	1704	1706	rBV2	312	150	0.01%	0.001%
27	6.555	1712	1715	1716	rBV2	927	541	0.02%	0.003%
28	6.564	1716	1718	1723	rVB5	678	488	0.02%	0.002%
29	6.593	1723	1727	1729	rBV4	1013	684	0.03%	0.003%
30	6.648	1742	1744	1747	rVB4	916	495	0.02%	0.003%
31	6.670	1749	1751	1752	rBV2	335	173	0.01%	0.001%
32	6.696	1757	1759	1760	rBV2	270	87	0.00%	0.000%
33	6.738	1771	1772	1774	rBV	580	243	0.01%	0.001%
34	6.783	1784	1786	1788	rVB2	391	193	0.01%	0.001%
35	6.796	1788	1790	1794	rBV2	245	137	0.01%	0.001%
36	6.908	1813	1825	1857	rBV	256194	508699	21.63%	2.571%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037619.D
 Acq On : 27 Sep 2024 20:17
 Operator : SY/MD
 Sample : P4184-19
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY045

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	7.236	1917	1927	1960	rBV	1039055	1853919	78.84%	9.369%
38	7.551	2016	2025	2045	rBV	171158	321777	13.68%	1.626%
39	7.902	2123	2134	2158	rBV	190929	333177	14.17%	1.684%
40	8.024	2164	2172	2211	rBV2	293884	637049	27.09%	3.219%
41	8.735	2389	2393	2395	rBV4	1167	921	0.04%	0.005%
42	8.780	2396	2407	2441	rVV	1089633	1823736	77.55%	9.216%
43	9.307	2566	2571	2573	rBV4	521	481	0.02%	0.002%
44	9.346	2581	2583	2586	rVB3	550	298	0.01%	0.002%
45	9.638	2670	2674	2675	rBV2	522	381	0.02%	0.002%
46	9.661	2679	2681	2682	rBV2	455	260	0.01%	0.001%
47	9.715	2694	2698	2701	rVB3	597	453	0.02%	0.002%
48	9.744	2704	2707	2708	rBV3	495	261	0.01%	0.001%
49	9.802	2723	2725	2727	rVB2	355	111	0.00%	0.001%
50	9.857	2740	2742	2744	rBV2	470	235	0.01%	0.001%
51	9.985	2780	2782	2786	rVB	653	356	0.02%	0.002%
52	10.008	2786	2789	2792	rVB2	567	315	0.01%	0.002%
53	10.027	2792	2795	2798	rVB2	451	269	0.01%	0.001%
54	10.047	2798	2801	2804	rVB2	712	436	0.02%	0.002%
55	10.072	2804	2809	2810	rBV2	957	730	0.03%	0.004%
56	10.146	2821	2832	2856	rBV	610727	969784	41.24%	4.901%
57	10.429	2918	2920	2922	rBV2	516	284	0.01%	0.001%
58	10.477	2930	2935	2938	rBV4	1087	967	0.04%	0.005%
59	10.519	2943	2948	2950	rBV4	587	500	0.02%	0.003%
60	10.551	2956	2958	2962	rVB4	694	414	0.02%	0.002%
61	10.574	2963	2965	2966	rBV	417	93	0.00%	0.000%
62	10.590	2966	2970	2973	rVB4	489	351	0.01%	0.002%
63	10.606	2973	2975	2977	rBV2	524	358	0.02%	0.002%
64	10.680	2995	2998	3001	rVB3	600	387	0.02%	0.002%
65	10.696	3001	3003	3006	rBV	407	236	0.01%	0.001%
66	10.783	3027	3030	3033	rBV2	1193	806	0.03%	0.004%
67	10.992	3093	3095	3098	rVB2	616	281	0.01%	0.001%
68	11.030	3104	3107	3111	rVB3	558	460	0.02%	0.002%
69	11.053	3112	3114	3120	rVV2	438	410	0.02%	0.002%
70	11.095	3125	3127	3131	rBV2	416	227	0.01%	0.001%
71	11.178	3143	3153	3191	rBV	1053312	1682938	71.56%	8.505%
72	11.555	3258	3270	3297	rBV	1050977	1673853	71.18%	8.459%
73	12.146	3452	3454	3455	rBV2	717	304	0.01%	0.002%
74	12.185	3464	3466	3468	rBV3	962	397	0.02%	0.002%
75	12.358	3515	3520	3523	rBV3	809	668	0.03%	0.003%
76	12.471	3552	3555	3556	rBV2	457	264	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037619.D
 Acq On : 27 Sep 2024 20:17
 Operator : SY/MD
 Sample : P4184-19
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY045

Integration Parameters: LSCINT.P
 Integrator: RTE
 Smoothing : OFF Filtering: 5
 Sampling : 1 Min Area: 0 % of largest Peak
 Start Thrs: 0.2 Max Peaks: 100
 Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.590	3586	3592	3594	rBV6	1845	1764	0.08%	0.009%
78	13.088	3744	3747	3748	rBV2	524	344	0.01%	0.002%
79	13.426	3849	3852	3853	rBV2	733	436	0.02%	0.002%
80	13.683	3926	3932	3934	rBV5	2353	2399	0.10%	0.012%
81	13.744	3949	3951	3954	rVB2	801	348	0.01%	0.002%
82	13.760	3954	3956	3958	rBV2	847	481	0.02%	0.002%
83	13.860	3984	3987	3989	rBV2	1215	729	0.03%	0.004%
84	13.943	4009	4013	4016	rBV4	1283	1032	0.04%	0.005%

Sum of corrected areas: 19788646




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037619.D
Acq On : 27 Sep 2024 20:17
Operator : SY/MD
Sample : P4184-19
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY045

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037619.D
Acq On : 27 Sep 2024 20:17
Operator : SY/MD
Sample : P4184-19
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY045

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037619.D
Acq On : 27 Sep 2024 20:17
Operator : SY/MD
Sample : P4184-19
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY045

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------