

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037621.D
 Acq On : 27 Sep 2024 21:01
 Operator : SY/MD
 Sample : P4184-21DL 5X
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY047DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037621.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	36	42	50	rBV	8874	16235	0.73%	0.088%
2	1.278	67	74	88	rBV	280612	307652	13.82%	1.675%
3	1.516	141	148	164	rVB	248119	306520	13.77%	1.669%
4	2.056	306	316	340	rVB3	589681	963575	43.28%	5.247%
5	3.101	632	641	664	rVB	169522	358905	16.12%	1.954%
6	3.519	767	771	774	rBV3	419	320	0.01%	0.002%
7	3.574	786	788	791	rBV3	526	307	0.01%	0.002%
8	3.658	812	814	816	rBV2	361	152	0.01%	0.001%
9	3.670	816	818	821	rBV2	641	372	0.02%	0.002%
10	3.731	834	837	839	rBV2	579	412	0.02%	0.002%
11	3.799	847	858	888	rBV2	163938	479603	21.54%	2.611%
12	4.239	978	995	1032	rBV	366949	940494	42.25%	5.121%
13	4.503	1060	1077	1102	rBV	451989	1159852	52.10%	6.315%
14	4.760	1155	1157	1161	rBV3	492	295	0.01%	0.002%
15	4.947	1199	1215	1256	rBV2	865939	2226150	100.00%	12.121%
16	5.529	1385	1396	1431	rBV	639171	1333851	59.92%	7.263%
17	5.831	1480	1490	1516	rBV5	86807	194082	8.72%	1.057%
18	5.982	1526	1537	1565	rBV	492505	1009976	45.37%	5.499%
19	6.333	1643	1646	1649	rVB4	1046	563	0.03%	0.003%
20	6.358	1652	1654	1655	rBV2	532	177	0.01%	0.001%
21	6.419	1670	1673	1675	rBV2	513	327	0.01%	0.002%
22	6.506	1696	1700	1703	rBV2	432	277	0.01%	0.002%
23	6.519	1703	1704	1705	rBV	280	93	0.00%	0.001%
24	6.596	1724	1728	1736	rBV4	952	943	0.04%	0.005%
25	6.641	1741	1742	1743	rVB4	439	87	0.00%	0.000%
26	6.702	1760	1761	1762	rBV	296	77	0.00%	0.000%
27	6.757	1774	1778	1782	rVB3	722	498	0.02%	0.003%
28	6.776	1782	1784	1788	rVB4	817	639	0.03%	0.003%
29	6.802	1788	1792	1795	rBV3	833	857	0.04%	0.005%
30	6.908	1815	1825	1850	rBV	240936	470663	21.14%	2.563%
31	7.124	1889	1892	1898	rBV5	982	1034	0.05%	0.006%
32	7.185	1909	1911	1916	rBV3	728	505	0.02%	0.003%
33	7.239	1916	1928	1964	rBV	906768	1654791	74.33%	9.010%
34	7.551	2016	2025	2052	rBV	166927	313121	14.07%	1.705%
35	7.902	2122	2134	2153	rBV2	182799	325682	14.63%	1.773%
36	8.027	2164	2173	2217	rBV	299051	644926	28.97%	3.512%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037621.D
 Acq On : 27 Sep 2024 21:01
 Operator : SY/MD
 Sample : P4184-21DL 5X
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY047DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	8.780	2396	2407	2447	rBV	988665	1645827	73.93%	8.961%
38	9.178	2530	2531	2534	rBV2	515	344	0.02%	0.002%
39	9.252	2551	2554	2556	rBV3	1028	566	0.03%	0.003%
40	9.358	2583	2587	2590	rVB3	551	377	0.02%	0.002%
41	9.371	2590	2591	2593	rBV	400	204	0.01%	0.001%
42	9.406	2597	2602	2604	rBV4	798	570	0.03%	0.003%
43	9.490	2623	2628	2630	rBV5	1295	1135	0.05%	0.006%
44	9.542	2642	2644	2645	rBV5	403	156	0.01%	0.001%
45	9.558	2645	2649	2651	rVV4	815	668	0.03%	0.004%
46	9.580	2654	2656	2659	rBV	485	435	0.02%	0.002%
47	9.609	2662	2665	2668	rBV4	545	318	0.01%	0.002%
48	9.657	2676	2680	2681	rBV3	620	433	0.02%	0.002%
49	9.683	2684	2688	2691	rVV3	986	677	0.03%	0.004%
50	9.699	2691	2693	2698	rVV3	429	302	0.01%	0.002%
51	9.747	2706	2708	2711	rBV2	667	417	0.02%	0.002%
52	9.789	2719	2721	2724	rVB2	418	203	0.01%	0.001%
53	9.808	2725	2727	2730	rBV3	505	218	0.01%	0.001%
54	9.844	2734	2738	2739	rBV2	816	496	0.02%	0.003%
55	9.918	2758	2761	2764	rBV3	494	361	0.02%	0.002%
56	9.956	2769	2773	2774	rBV	896	622	0.03%	0.003%
57	10.027	2792	2795	2799	rBV3	776	747	0.03%	0.004%
58	10.053	2800	2803	2807	rVB2	640	456	0.02%	0.002%
59	10.146	2821	2832	2855	rBV	597837	951829	42.76%	5.183%
60	10.648	2986	2988	2991	rVB2	677	263	0.01%	0.001%
61	10.680	2996	2998	2999	rBV2	356	188	0.01%	0.001%
62	10.709	3004	3007	3010	rBV4	387	317	0.01%	0.002%
63	10.741	3014	3017	3019	rBV2	624	388	0.02%	0.002%
64	10.792	3031	3033	3036	rBV2	441	322	0.01%	0.002%
65	10.808	3036	3038	3041	rVB2	985	507	0.02%	0.003%
66	10.828	3041	3044	3047	rBV2	577	251	0.01%	0.001%
67	10.998	3094	3097	3098	rBV2	629	341	0.02%	0.002%
68	11.072	3119	3120	3123	rVB2	589	231	0.01%	0.001%
69	11.091	3123	3126	3127	rBV2	532	267	0.01%	0.001%
70	11.123	3132	3136	3137	rBV3	1399	913	0.04%	0.005%
71	11.178	3143	3153	3183	rBV	923199	1492919	67.06%	8.129%
72	11.554	3258	3270	3298	rBV	955377	1540390	69.20%	8.387%
73	12.178	3458	3464	3466	rBV4	927	971	0.04%	0.005%
74	12.210	3470	3474	3475	rBV2	525	358	0.02%	0.002%
75	12.255	3485	3488	3493	rBV2	566	460	0.02%	0.003%
76	12.426	3538	3541	3542	rBV2	922	410	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037621.D
 Acq On : 27 Sep 2024 21:01
 Operator : SY/MD
 Sample : P4184-21DL 5X
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY047DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	12.500	3562	3564	3567	rBV2	581	362	0.02%	0.002%
78	12.795	3655	3656	3660	rVB3	470	233	0.01%	0.001%
79	12.924	3692	3696	3700	rBV5	834	782	0.04%	0.004%
80	13.069	3735	3741	3744	rBV6	1067	1143	0.05%	0.006%
81	13.194	3778	3780	3782	rBV3	573	301	0.01%	0.002%
82	13.348	3823	3828	3831	rBV3	1209	1076	0.05%	0.006%
83	13.416	3847	3849	3852	rBV4	745	383	0.02%	0.002%
84	13.435	3852	3855	3858	rBV3	763	581	0.03%	0.003%

Sum of corrected areas: 18365731




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037621.D
Acq On : 27 Sep 2024 21:01
Operator : SY/MD
Sample : P4184-21DL 5X
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY047DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037621.D
Acq On : 27 Sep 2024 21:01
Operator : SY/MD
Sample : P4184-21DL 5X
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY047DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037621.D
Acq On : 27 Sep 2024 21:01
Operator : SY/MD
Sample : P4184-21DL 5X
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY047DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------