

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037635.D
 Acq On : 28 Sep 2024 02:01
 Operator : SY/MD
 Sample : P4185-16
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY064

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

Signal : TIC: VV037635.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.175	36	42	52	rBV	20719	33264	1.50%	0.190%
2	1.282	68	75	90	rVB	278163	302337	13.61%	1.727%
3	1.532	146	153	174	rVB	251959	303979	13.69%	1.736%
4	2.060	307	317	339	rBV2	548245	834089	37.56%	4.765%
5	3.108	633	643	670	rVB	209812	446426	20.10%	2.550%
6	3.375	725	726	731	rVB2	1071	600	0.03%	0.003%
7	3.590	791	793	795	rVB	624	214	0.01%	0.001%
8	3.603	795	797	799	rBV	436	220	0.01%	0.001%
9	3.709	826	830	834	rBV4	449	441	0.02%	0.003%
10	3.754	842	844	847	rBV2	428	315	0.01%	0.002%
11	3.802	848	859	892	rBV4	129998	398478	17.94%	2.276%
12	4.243	979	996	1025	rBV	367204	936400	42.17%	5.349%
13	4.506	1063	1078	1101	rVB3	111954	283204	12.75%	1.618%
14	4.748	1151	1153	1155	rBV2	436	214	0.01%	0.001%
15	4.950	1201	1216	1242	rBV2	865958	2220759	100.00%	12.686%
16	5.407	1356	1358	1359	rBV2	579	218	0.01%	0.001%
17	5.449	1369	1371	1372	rBV2	701	255	0.01%	0.001%
18	5.529	1385	1396	1423	rBV	667301	1376038	61.96%	7.860%
19	5.834	1481	1491	1511	rBV4	77197	172365	7.76%	0.985%
20	5.986	1526	1538	1566	rBV	493810	1017651	45.82%	5.813%
21	6.484	1691	1693	1695	rBV2	354	184	0.01%	0.001%
22	6.513	1699	1702	1704	rBV2	843	517	0.02%	0.003%
23	6.577	1721	1722	1724	rVB2	481	150	0.01%	0.001%
24	6.590	1724	1726	1731	rBV3	645	570	0.03%	0.003%
25	6.613	1731	1733	1736	rBV4	535	276	0.01%	0.002%
26	6.667	1746	1750	1754	rBV4	622	611	0.03%	0.003%
27	6.696	1754	1759	1763	rVV3	887	683	0.03%	0.004%
28	6.748	1772	1775	1777	rBV4	526	326	0.01%	0.002%
29	6.773	1781	1783	1787	rBV4	315	216	0.01%	0.001%
30	6.834	1800	1802	1803	rBV	255	87	0.00%	0.000%
31	6.850	1803	1807	1809	rBV3	658	457	0.02%	0.003%
32	6.876	1812	1815	1816	rBV2	691	394	0.02%	0.002%
33	6.908	1816	1825	1852	rBV	232220	458933	20.67%	2.622%
34	7.239	1917	1928	1956	rBV	985736	1759601	79.23%	10.051%
35	7.551	2017	2025	2056	rBV	158631	295462	13.30%	1.688%
36	7.902	2123	2134	2152	rBV	174838	302131	13.60%	1.726%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037635.D
 Acq On : 28 Sep 2024 02:01
 Operator : SY/MD
 Sample : P4185-16
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY064

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

37	8.027	2164	2173	2205	rBV2	248442	554166	24.95%	3.166%
38	8.616	2353	2356	2357	rBV	582	275	0.01%	0.002%
39	8.780	2396	2407	2435	rBV	1049869	1730915	77.94%	9.888%
40	9.159	2524	2525	2528	rBV2	684	445	0.02%	0.003%
41	9.223	2543	2545	2549	rVB5	834	506	0.02%	0.003%
42	9.413	2602	2604	2605	rBV	459	244	0.01%	0.001%
43	9.477	2620	2624	2628	rBV5	566	698	0.03%	0.004%
44	9.497	2628	2630	2631	rBV	528	164	0.01%	0.001%
45	9.526	2637	2639	2640	rBV2	494	157	0.01%	0.001%
46	9.571	2651	2653	2655	rBV2	529	179	0.01%	0.001%
47	9.754	2707	2710	2715	rBV3	967	876	0.04%	0.005%
48	9.776	2715	2717	2720	rVV	816	499	0.02%	0.003%
49	9.799	2722	2724	2729	rVB6	485	344	0.02%	0.002%
50	9.828	2729	2733	2734	rBV	412	292	0.01%	0.002%
51	9.863	2742	2744	2745	rBV	436	163	0.01%	0.001%
52	9.892	2749	2753	2754	rBV3	686	491	0.02%	0.003%
53	9.927	2761	2764	2766	rVB3	483	240	0.01%	0.001%
54	9.989	2781	2783	2785	rBV	443	199	0.01%	0.001%
55	10.030	2794	2796	2797	rBV	373	169	0.01%	0.001%
56	10.146	2821	2832	2856	rBV	572960	896988	40.39%	5.124%
57	10.371	2900	2902	2905	rVB2	785	350	0.02%	0.002%
58	10.468	2930	2932	2934	rBV2	361	163	0.01%	0.001%
59	10.506	2943	2944	2945	rBV	419	128	0.01%	0.001%
60	10.596	2969	2972	2973	rBV2	498	201	0.01%	0.001%
61	10.606	2973	2975	2979	rVB2	799	484	0.02%	0.003%
62	10.628	2979	2982	2983	rBV2	538	298	0.01%	0.002%
63	10.657	2989	2991	2993	rBV	614	256	0.01%	0.001%
64	10.706	3000	3006	3008	rBV3	942	852	0.04%	0.005%
65	10.812	3037	3039	3042	rVB2	315	167	0.01%	0.001%
66	10.828	3042	3044	3047	rBV2	769	414	0.02%	0.002%
67	10.863	3052	3055	3057	rBV2	751	399	0.02%	0.002%
68	10.879	3058	3060	3061	rBV2	428	204	0.01%	0.001%
69	10.921	3071	3073	3078	rVB2	698	499	0.02%	0.003%
70	11.005	3097	3099	3101	rBV	533	320	0.01%	0.002%
71	11.037	3107	3109	3111	rBV2	374	196	0.01%	0.001%
72	11.101	3128	3129	3131	rVB2	417	130	0.01%	0.001%
73	11.124	3131	3136	3138	rBV3	925	656	0.03%	0.004%
74	11.136	3138	3140	3141	rBV	335	135	0.01%	0.001%
75	11.178	3142	3153	3185	rBV	986678	1571563	70.77%	8.977%
76	11.554	3258	3270	3300	rBV	989047	1585989	71.42%	9.060%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
 Data File : VV037635.D
 Acq On : 28 Sep 2024 02:01
 Operator : SY/MD
 Sample : P4185-16
 Misc : 5mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EY064

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
 Title : VOC Analysis

77	11.979	3399	3402	3404	rBV4	792	543	0.02%	0.003%
78	12.072	3427	3431	3433	rBV3	971	587	0.03%	0.003%
79	12.082	3433	3434	3435	rBV	626	146	0.01%	0.001%
80	12.172	3460	3462	3466	rBV3	590	424	0.02%	0.002%
81	12.561	3578	3583	3585	rBV3	834	806	0.04%	0.005%
82	12.709	3628	3629	3631	rVB2	571	189	0.01%	0.001%
83	12.802	3655	3658	3662	rBV2	861	740	0.03%	0.004%
84	12.841	3666	3670	3674	rBV4	1080	803	0.04%	0.005%
85	13.043	3730	3733	3735	rBV2	630	446	0.02%	0.003%
86	13.098	3746	3750	3753	rBV2	685	524	0.02%	0.003%
87	13.143	3761	3764	3768	rBV4	740	503	0.02%	0.003%
88	13.310	3812	3816	3819	rBV5	904	848	0.04%	0.005%

Sum of corrected areas: 17506038




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037635.D
Acq On : 28 Sep 2024 02:01
Operator : SY/MD
Sample : P4185-16
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY064

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L

TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037635.D
Acq On : 28 Sep 2024 02:01
Operator : SY/MD
Sample : P4185-16
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY064

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV092724\
Data File : VV037635.D
Acq On : 28 Sep 2024 02:01
Operator : SY/MD
Sample : P4185-16
Misc : 5mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EY064

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------