

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092820\
 Data File : VV018496.D
 Acq On : 28 Sep 2020 16:05
 Operator : SY/MD
 Sample : L4117-14
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0AA2

Quant Time: Sep 29 03:29:12 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 29 00:50:40 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	337081	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	324992	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	161355	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	112806	41.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	82.12%
7) Chloroethane-d5	1.58	69	95775	42.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.22%
11) 1,1-Dichloroethene-d2	2.12	63	159120	31.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.16%
21) 2-Butanone-d5	3.91	46	159359	94.78	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	94.78%
24) Chloroform-d	4.38	84	208218	43.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.38%
26) 1,2-Dichloroethane-d4	5.06	65	135957	44.50	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.00%
32) Benzene-d6	5.08	84	424669	45.65	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.30%
36) 1,2-Dichloropropane-d6	6.10	67	138267	46.77	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.54%
41) Toluene-d8	7.34	98	379310	44.74	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.48%
43) trans-1,3-Dichloropropene-	7.64	79	66460	44.24	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.48%
47) 2-Hexanone-d5	8.11	63	98257	87.75	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.75%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	168117	45.31	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.62%
64) 1,2-Dichlorobenzene-d4	11.65	152	160044	48.30	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.60%


Target Compounds					Ovalue
34) Trichloroethene	5.94	95	958442	378.648 ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092820\
Data File : VV018496.D
Acq On : 28 Sep 2020 16:05
Operator : SY/MD
Sample : L4117-14
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0AA2

Quant Time: Sep 29 03:29:12 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM090920WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 29 00:50:40 2020
Response via : Initial Calibration





#34

Trichloroethene

Concen: 378.648 ug/L

RT: 5.94 min Scan# 1508

Delta R.T. 0.00 min

Lab File: VV018496.D

Acq: 28 Sep 2020 16:05

Instrument :

MSVOA_V

ClientSampleId :

E0AA2

Tot Ion: 95 Resp: 958442


Ion Ratio Lower Upper

95 100

97 64.5 46.3 85.9

132 98.5 68.1 126.5

130 103.0 71.5 132.9



Abundance Ion 95.00 (94.70 to 95.70): VV0

Ion 97.00 (96.70 to 97.70): VV0

Ion 132.00 (131.70 to 132.70): V

Ion 130.00 (129.70 to 130.70): V

