

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092821\
 Data File : VV022346.D
 Acq On : 27 Sep 2021 20:58
 Operator : SY/MD
 Sample : M3834-03ME
 Misc : 6.28g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Sep 28 02:46:13 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 28 02:38:12 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.612	114	290333	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	274666	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	132611	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	79698	32.346	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	64.700%
7) Chloroethane-d5	1.532	69	22537	11.564	ug/L	-0.03
Spiked Amount	50.000	Range	70 - 130	Recovery	=	23.120%#
11) 1,1-Dichloroethene-d2	2.072	63	144400	33.708	ug/L	-0.03
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.420%
21) 2-Butanone-d5	3.889	46	162492	93.446	ug/L	0.02
Spiked Amount	100.000	Range	40 - 130	Recovery	=	93.450%
24) Chloroform-d	4.346	84	197098	44.300	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.600%
26) 1,2-Dichloroethane-d4	5.027	65	126247	46.272	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.540%
32) Benzene-d6	5.040	84	416913	48.250	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.500%
36) 1,2-Dichloropropane-d6	6.069	67	130921	47.361	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.720%
41) Toluene-d8	7.316	98	369377	46.704	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.400%
43) trans-1,3-Dichloroprop...	7.622	79	53922	42.718	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.440%
47) 2-Hexanone-d5	8.098	63	118107	105.148	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	105.150%
56) 1,1,2,2-Tetrachloroeth...	10.223	84	188234	46.909	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.820%
66) 1,2-Dichlorobenzene-d4	11.628	152	147712	50.093	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.180%
Target Compounds						
44) trans-1,3-Dichloropropene	7.625	75	2686	0.888	ug/L #	82
48) 2-Hexanone	8.101	43	13578	5.907	ug/L #	62


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092821\
Data File : VV022346.D
Acq On : 27 Sep 2021 20:58
Operator : SY/MD
Sample : M3834-03ME
Misc : 6.28g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Sep 28 02:46:13 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 28 02:38:12 2021
Response via : Initial Calibration









#44
trans-1,3-Dichloropropene
Concen: 0.888 ug/L
RT: 7.625 min Scan# 2048
Delta R.T. -0.026 min
Lab File: VV022346.D
Acq: 27 Sep 2021 20:58

Instrument :
MSVOA_V
ClientSampled :

Tgt Ion: 75 Resp: 2686
Ion Ratio Lower Upper
75 100
77 41.7 22.3 41.3#



#48
2-Hexanone
Concen: 5.907 ug/L
RT: 8.101 min Scan# 2196
Delta R.T. -0.039 min
Lab File: VV022346.D
Acq: 27 Sep 2021 20:58

Tgt Ion: 43 Resp: 13578
Ion Ratio Lower Upper
43 100
58 28.5 45.4 68.2#
57 0.0 15.0 22.4#
100 0.6 10.7 16.1#

