

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092821\
 Data File : VV022359.D
 Acq On : 28 Sep 2021 10:32
 Operator : SY/MD
 Sample : VV0928MBL01
 Misc : 5.0g/5.0mL/100UL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Sep 29 01:33:02 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Sep 29 01:30:11 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.612	114	267996	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	253742	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	114145	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	110053	48.388	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	96.780%		
7) Chloroethane-d5	1.561	69	88382	49.131	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	98.260%		
11) 1,1-Dichloroethene-d2	2.104	63	148609	37.582	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	75.160%		
21) 2-Butanone-d5	3.870	46	152930	95.278	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	95.280%		
24) Chloroform-d	4.342	84	194915	47.461	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	94.920%		
26) 1,2-Dichloroethane-d4	5.027	65	121187	48.119	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	96.240%		
32) Benzene-d6	5.047	84	404685	50.697	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	101.400%		
36) 1,2-Dichloropropane-d6	6.066	67	129152	50.573	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	101.140%		
41) Toluene-d8	7.313	98	357812	48.973	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	97.940%		
43) trans-1,3-Dichloroprop...	7.619	79	54099	46.392	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	92.780%		
47) 2-Hexanone-d5	8.085	63	100520	96.870	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	96.870%		
56) 1,1,2,2-Tetrachloroeth...	10.217	84	174383	47.041	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	94.080%		
66) 1,2-Dichlorobenzene-d4	11.625	152	139702	55.041	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	110.080%		
Target Compounds						Qvalue
61) 1,2,3-Trichloropropane	11.249	75	12514	5.876	ug/L	# 66


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092821\
Data File : VV022359.D
Acq On : 28 Sep 2021 10:32
Operator : SY/MD
Sample : VV0928MBL01
Misc : 5.0g/5.0mL/100U1/5.0mL/MSVOA_V/MEOH
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Sep 29 01:33:02 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Sep 29 01:30:11 2021
Response via : Initial Calibration





#61
 1,2,3-Trichloropropane
 Concen: 5.876 ug/L
 RT: 11.249 min Scan# 3175
 Delta R.T. 0.974 min
 Lab File: VV022359.D
 Acq: 28 Sep 2021 10:32

Instrument :
 MSVOA_V
 ClientSampleId :

Tgt Ion: 75 Resp: 12514
 Ion Ratio Lower Upper
 75 100
 77 32.4 25.4 38.0
 110 3.1 32.6 48.8#

