

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092821\
 Data File : VV022349.D
 Acq On : 27 Sep 2021 22:11
 Operator : SY/MD
 Sample : M3834-06ME
 Misc : 4.73g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EW407ME

Quant Time: Sep 28 02:46:49 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Sep 28 02:38:12 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.613	114	201065	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	194559	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	91294	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.301	65	130308	76.366	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery = 152.740%#			
7) Chloroethane-d5	1.529	69	44479	32.956	ug/L	-0.03
Spiked Amount 50.000	Range 70 - 130		Recovery = 65.920%#			
11) 1,1-Dichloroethene-d2	2.076	63	172476	58.137	ug/L	-0.03
Spiked Amount 50.000	Range 60 - 125		Recovery = 116.280%			
21) 2-Butanone-d5	3.889	46	134627	111.795	ug/L	0.02
Spiked Amount 100.000	Range 40 - 130		Recovery = 111.790%			
24) Chloroform-d	4.343	84	229848	74.598	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 149.200%#			
26) 1,2-Dichloroethane-d4	5.027	65	148549	78.618	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 157.240%#			
32) Benzene-d6	5.040	84	498048	81.372	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 162.740%#			
36) 1,2-Dichloropropane-d6	6.066	67	158833	81.115	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery = 162.240%#			
41) Toluene-d8	7.313	98	443153	79.104	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 158.200%#			
43) trans-1,3-Dichloroprop...	7.622	79	66961	74.889	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 149.780%#			
47) 2-Hexanone-d5	8.098	63	140138	176.130	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery = 176.130%#			
56) 1,1,2,2-Tetrachloroeth...	10.220	84	231720	81.522	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery = 163.040%#			
66) 1,2-Dichlorobenzene-d4	11.628	152	182779	90.037	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 180.080%#			
Target Compounds						Qvalue
16) Methylene chloride	2.491	84	2274	1.234	ug/L	90
42) Toluene	7.394	91	6727	1.061	ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092821\
Data File : VV022349.D
Acq On : 27 Sep 2021 22:11
Operator : SY/MD
Sample : M3834-06ME
Misc : 4.73g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EW407ME

Quant Time: Sep 28 02:46:49 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Sep 28 02:38:12 2021
Response via : Initial Calibration

