

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV092920\
 Data File : VV018543.D
 Acq On : 30 Sep 2020 02:09
 Operator : SY/MD
 Sample : L4141-04
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0FG5

Quant Time: Sep 30 05:46:14 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Sep 30 04:50:47 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	387536	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	376418	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	188764	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	95148	41.86	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.72%
7) Chloroethane-d5	1.58	69	91890	48.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.80%
11) 1,1-Dichloroethene-d2	2.12	63	156093	33.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.42%
21) 2-Butanone-d5	3.92	46	164870	97.25	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.25%
24) Chloroform-d	4.38	84	215176	43.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.56%
26) 1,2-Dichloroethane-d4	5.06	65	146925	47.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.18%
32) Benzene-d6	5.07	84	441540	46.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.62%
36) 1,2-Dichloropropane-d6	6.09	67	138480	48.07	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.14%
41) Toluene-d8	7.34	98	405883	45.25	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.50%
43) trans-1,3-Dichloropropene-	7.64	79	66307	42.61	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.22%
47) 2-Hexanone-d5	8.11	63	88533	80.91	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	80.91%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	161490	42.28	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.56%
64) 1,2-Dichlorobenzene-d4	11.65	152	177084	48.78	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.56%


Target Compounds					Ovalue
25) Chloroform	4.41	83	14897	2.911 ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV092920\
Data File : VV018543.D
Acq On : 30 Sep 2020 02:09
Operator : SY/MD
Sample : L4141-04
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0FG5

Quant Time: Sep 30 05:46:14 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092920WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Sep 30 04:50:47 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 2.911 ug/L
 RT: 4.41 min Scan# 1031
 Delta R.T. 0.00 min
 Lab File: VV018543.D
 Acq: 30 Sep 2020 02:09

Instrument :
 MSVOA_V
 ClientSampleId :
 C0FG5

Tot Ion: 83 Resp: 14897
 Ion Ratio Lower Upper
 83 100
 85 66.4 46.2 85.8

