

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092921\
 Data File : VV022390.D
 Acq On : 29 Sep 2021 20:08
 Operator : SY/MD
 Sample : M3978-10
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4A35

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
 Title : VOC Analysis

Signal : TIC: VV022390.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.304	76	82	102	rBV	127254	128395	7.42%	1.396%
2	1.561	155	162	181	rVB	113668	133601	7.72%	1.452%
3	2.105	322	331	361	rVB	225311	334045	19.29%	3.632%
4	2.503	450	455	457	rBV3	742	725	0.04%	0.008%
5	2.654	499	502	506	rVB2	351	237	0.01%	0.003%
6	2.686	506	512	515	rBV2	288	332	0.02%	0.004%
7	2.764	529	536	537	rBV4	4561	4188	0.24%	0.046%
8	2.969	594	600	602	rBV2	214	192	0.01%	0.002%
9	3.037	619	621	622	rBV	328	171	0.01%	0.002%
10	3.101	638	641	643	rBV2	350	209	0.01%	0.002%
11	3.169	657	662	665	rBV2	338	281	0.02%	0.003%
12	3.259	686	690	692	rBV3	299	199	0.01%	0.002%
13	3.436	742	745	748	rBV2	242	195	0.01%	0.002%
14	3.612	797	800	804	rBB2	342	269	0.02%	0.003%
15	3.680	818	821	825	rBV2	469	383	0.02%	0.004%
16	3.715	830	832	838	rVV3	174	176	0.01%	0.002%
17	3.773	846	850	852	rBV2	289	220	0.01%	0.002%
18	3.812	858	862	865	rBV2	308	175	0.01%	0.002%
19	3.876	871	882	918	rBV	84202	236567	13.66%	2.572%
20	4.349	1013	1029	1057	rBV	151391	399287	23.06%	4.341%
21	4.670	1126	1129	1131	rBV	292	223	0.01%	0.002%
22	4.793	1161	1167	1171	rBV3	284	416	0.02%	0.005%
23	4.915	1201	1205	1208	rBV3	393	304	0.02%	0.003%
24	5.047	1228	1246	1271	rBV2	389322	1002237	57.88%	10.896%
25	5.432	1363	1366	1368	rBV	272	213	0.01%	0.002%
26	5.506	1386	1389	1396	rVB4	501	476	0.03%	0.005%
27	5.555	1401	1404	1407	rBV2	239	224	0.01%	0.002%
28	5.619	1412	1424	1451	rBV	273969	560705	32.38%	6.096%
29	5.850	1493	1496	1499	rVB2	616	326	0.02%	0.004%
30	5.863	1499	1500	1504	rVB	343	157	0.01%	0.002%
31	5.918	1504	1517	1542	rBV6	16284	38335	2.21%	0.417%
32	6.011	1542	1546	1549	rVB3	412	319	0.02%	0.003%
33	6.069	1550	1564	1594	rBV	222766	463336	26.76%	5.037%
34	6.265	1623	1625	1628	rBV2	462	300	0.02%	0.003%
35	6.391	1661	1664	1667	rVB	334	211	0.01%	0.002%
36	6.407	1667	1669	1670	rBV	493	172	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092921\
 Data File : VV022390.D
 Acq On : 29 Sep 2021 20:08
 Operator : SY/MD
 Sample : M3978-10
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4A35

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
 Title : VOC Analysis

37	6.497	1695	1697	1702	rVV2	223	202	0.01%	0.002%
38	6.522	1703	1705	1707	rVV2	456	168	0.01%	0.002%
39	6.548	1711	1713	1716	rVB2	352	202	0.01%	0.002%
40	6.635	1738	1740	1742	rBV2	366	166	0.01%	0.002%
41	6.725	1766	1768	1771	rVB	399	215	0.01%	0.002%
42	6.780	1783	1785	1790	rVB2	277	158	0.01%	0.002%
43	6.809	1790	1794	1799	rVB4	386	325	0.02%	0.004%
44	6.844	1799	1805	1806	rBV2	390	254	0.01%	0.003%
45	6.899	1819	1822	1824	rBV	291	187	0.01%	0.002%
46	6.947	1830	1837	1839	rBV2	368	380	0.02%	0.004%
47	6.989	1839	1850	1872	rBV	113118	207604	11.99%	2.257%
48	7.317	1941	1952	1972	rBV	450209	789666	45.61%	8.585%
49	7.622	2034	2047	2065	rBV	78420	140399	8.11%	1.526%
50	7.812	2102	2106	2110	rBV4	455	483	0.03%	0.005%
51	7.892	2126	2131	2133	rBV2	323	246	0.01%	0.003%
52	7.976	2140	2157	2179	rBV	1027397	1731450	100.00%	18.824%
53	8.088	2183	2192	2224	rVB	273033	484630	27.99%	5.269%
54	8.423	2294	2296	2298	rBV	370	229	0.01%	0.002%
55	8.554	2333	2337	2339	rBV2	492	486	0.03%	0.005%
56	8.686	2376	2378	2383	rVB2	385	212	0.01%	0.002%
57	8.712	2383	2386	2388	rBV3	279	188	0.01%	0.002%
58	8.853	2418	2430	2454	rBV	418490	686351	39.64%	7.462%
59	9.226	2543	2546	2553	rBV3	374	343	0.02%	0.004%
60	9.361	2585	2588	2593	rVB3	242	232	0.01%	0.003%
61	9.397	2593	2599	2603	rBV2	218	319	0.02%	0.003%
62	9.439	2609	2612	2615	rBV2	388	269	0.02%	0.003%
63	9.590	2653	2659	2661	rBV2	239	174	0.01%	0.002%
64	9.722	2696	2700	2704	rBV2	504	385	0.02%	0.004%
65	9.821	2728	2731	2734	rBV	208	176	0.01%	0.002%
66	10.021	2788	2793	2795	rBV2	272	233	0.01%	0.003%
67	10.046	2799	2801	2803	rBV	436	179	0.01%	0.002%
68	10.098	2814	2817	2818	rBV	300	172	0.01%	0.002%
69	10.127	2823	2826	2831	rVB3	957	985	0.06%	0.011%
70	10.217	2842	2854	2878	rBV	338736	533637	30.82%	5.802%
71	10.394	2907	2909	2911	rVB	638	254	0.01%	0.003%
72	10.487	2935	2938	2940	rBV2	357	259	0.01%	0.003%
73	10.725	3009	3012	3014	rBV	247	163	0.01%	0.002%
74	10.750	3018	3020	3024	rVV	252	156	0.01%	0.002%
75	10.799	3031	3035	3038	rBV3	536	392	0.02%	0.004%
76	10.902	3061	3067	3068	rBV3	286	285	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092921\
 Data File : VV022390.D
 Acq On : 29 Sep 2021 20:08
 Operator : SY/MD
 Sample : M3978-10
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4A35

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
 Title : VOC Analysis

77	10.921	3069	3073	3078	rVV4	1133	984	0.06%	0.011%
78	11.127	3134	3137	3140	rBV3	468	331	0.02%	0.004%
79	11.252	3164	3176	3197	rBV	382197	594939	34.36%	6.468%
80	11.625	3280	3292	3309	rBV	446071	706314	40.79%	7.679%
81	11.821	3351	3353	3356	rVB	494	211	0.01%	0.002%
82	12.040	3419	3421	3424	rBV2	391	187	0.01%	0.002%
83	12.072	3429	3431	3437	rVB2	340	238	0.01%	0.003%
84	12.168	3458	3461	3464	rVB3	564	384	0.02%	0.004%
85	12.374	3523	3525	3530	rBV4	382	224	0.01%	0.002%
86	12.400	3530	3533	3536	rBV2	360	223	0.01%	0.002%
87	12.429	3539	3542	3544	rBV4	405	257	0.01%	0.003%
88	12.590	3587	3592	3597	rBV3	492	559	0.03%	0.006%
89	12.651	3609	3611	3614	rBV2	268	179	0.01%	0.002%
90	12.908	3690	3691	3694	rBV3	372	185	0.01%	0.002%
91	12.956	3702	3706	3708	rBV	369	205	0.01%	0.002%
92	13.020	3723	3726	3728	rBV2	278	180	0.01%	0.002%
93	13.207	3781	3784	3785	rBV2	383	164	0.01%	0.002%
94	13.323	3817	3820	3825	rBV3	291	238	0.01%	0.003%
95	13.345	3825	3827	3829	rBV	372	200	0.01%	0.002%
96	13.612	3906	3910	3912	rBV	246	211	0.01%	0.002%
97	13.744	3949	3951	3953	rBV2	397	213	0.01%	0.002%
98	14.043	4041	4044	4045	rBV2	429	260	0.02%	0.003%
99	14.236	4102	4104	4109	rVV3	317	239	0.01%	0.003%
100	14.291	4118	4121	4125	rBV2	324	289	0.02%	0.003%

Sum of corrected areas: 9198029

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092921\
Data File : VV022390.D
Acq On : 29 Sep 2021 20:08
Operator : SY/MD
Sample : M3978-10
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4A35

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV092921\
Data File : VV022390.D
Acq On : 29 Sep 2021 20:08
Operator : SY/MD
Sample : M3978-10
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4A35

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------