

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV093020\
 Data File : VV018573.D
 Acq On : 30 Sep 2020 16:39
 Operator : SY/MD
 Sample : L4117-15DL 10X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0AA3DL

Quant Time: Oct 01 09:06:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 01 07:39:17 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	387178	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	378562	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	200439	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	82449	36.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.62%
7) Chloroethane-d5	1.58	69	84883	45.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.42%
11) 1,1-Dichloroethene-d2	2.12	63	148007	31.99	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	63.98%
21) 2-Butanone-d5	3.92	46	181468	107.14	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	107.14%
24) Chloroform-d	4.38	84	203444	41.43	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.86%
26) 1,2-Dichloroethane-d4	5.06	65	139382	44.71	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.42%
32) Benzene-d6	5.07	84	405651	42.30	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.60%
36) 1,2-Dichloropropane-d6	6.09	67	129648	44.75	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.50%
41) Toluene-d8	7.34	98	375800	41.66	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.32%
43) trans-1,3-Dichloropropene-	7.64	79	64044	40.92	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.84%
47) 2-Hexanone-d5	8.11	63	99189	90.13	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.13%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	166259	43.28	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	86.56%
64) 1,2-Dichlorobenzene-d4	11.65	152	175562	45.54	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.08%

Target Compounds					Ovalue
34) Trichloroethene	5.94	95	78123	24.196 ug/L	98
68) 1,2,4-trichlorobenzene	13.29	180	8409	2.011 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV093020\
Data File : VV018573.D
Acq On : 30 Sep 2020 16:39
Operator : SY/MD
Sample : L4117-15DL 10X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0AA3DL

Quant Time: Oct 01 09:06:46 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092920WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 01 07:39:17 2020
Response via : Initial Calibration

