

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV093021\
 Data File : VV022438.D
 Acq On : 30 Sep 2021 17:42
 Operator : SY/MD
 Sample : M3979-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4A06

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M

Title : VOC Analysis

Signal : TIC: VV022438.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.304	75	82	98	rVB	140557	144792	16.28%	2.052%
2	1.564	156	163	177	rVB	116765	131534	14.79%	1.864%
3	2.105	321	331	356	rBV	219927	323785	36.41%	4.588%
4	2.670	504	507	510	rBV2	444	287	0.03%	0.004%
5	2.889	572	575	579	rBV	496	378	0.04%	0.005%
6	3.346	714	717	719	rBV3	275	211	0.02%	0.003%
7	3.407	734	736	740	rVB2	352	250	0.03%	0.004%
8	3.445	740	748	752	rBV2	420	626	0.07%	0.009%
9	3.487	758	761	764	rBV	254	178	0.02%	0.003%
10	3.542	776	778	780	rBV	253	139	0.02%	0.002%
11	3.574	785	788	791	rBV2	181	117	0.01%	0.002%
12	3.590	791	793	797	rBV2	241	123	0.01%	0.002%
13	3.670	816	818	820	rVB	311	131	0.01%	0.002%
14	3.690	821	824	828	rVV3	253	194	0.02%	0.003%
15	3.902	878	890	928	rBV2	61157	238410	26.81%	3.378%
16	4.349	1014	1029	1056	rBV	139559	351929	39.58%	4.987%
17	4.712	1140	1142	1147	rVB2	576	412	0.05%	0.006%
18	4.741	1147	1151	1152	rBV	416	238	0.03%	0.003%
19	4.780	1161	1163	1165	rBV	272	152	0.02%	0.002%
20	4.822	1173	1176	1178	rBV3	679	413	0.05%	0.006%
21	4.844	1181	1183	1187	rVV2	224	192	0.02%	0.003%
22	4.899	1197	1200	1202	rBV2	367	189	0.02%	0.003%
23	4.931	1208	1210	1216	rVB3	503	239	0.03%	0.003%
24	4.963	1218	1220	1224	rBV2	335	209	0.02%	0.003%
25	5.047	1230	1246	1267	rBV2	352977	889221	100.00%	12.601%
26	5.468	1375	1377	1381	rVV	407	244	0.03%	0.003%
27	5.497	1384	1386	1389	rVB2	328	185	0.02%	0.003%
28	5.513	1389	1391	1394	rVB2	202	119	0.01%	0.002%
29	5.532	1394	1397	1398	rBV2	261	121	0.01%	0.002%
30	5.619	1411	1424	1441	rBV	253302	515318	57.95%	7.302%
31	5.908	1504	1514	1528	rBV6	10256	23071	2.59%	0.327%
32	6.011	1543	1546	1548	rBV2	381	243	0.03%	0.003%
33	6.069	1551	1564	1583	rBV	198931	406642	45.73%	5.762%
34	6.358	1651	1654	1657	rBV2	297	165	0.02%	0.002%
35	6.403	1665	1668	1672	rVB2	387	271	0.03%	0.004%
36	6.458	1683	1685	1691	rVB2	476	281	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV093021\
 Data File : VV022438.D
 Acq On : 30 Sep 2021 17:42
 Operator : SY/MD
 Sample : M3979-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4A06

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
 Title : VOC Analysis

37	6.522	1697	1705	1709	rBV2	954	1455	0.16%	0.021%
38	6.587	1724	1725	1729	rVB	282	158	0.02%	0.002%
39	6.793	1787	1789	1792	rVB2	265	115	0.01%	0.002%
40	6.838	1801	1803	1807	rBV	159	111	0.01%	0.002%
41	6.944	1833	1836	1839	rBV	225	166	0.02%	0.002%
42	6.989	1839	1850	1876	rBV	99075	189990	21.37%	2.692%
43	7.243	1927	1929	1932	rVB2	416	189	0.02%	0.003%
44	7.317	1938	1952	1973	rBV	407571	729268	82.01%	10.334%
45	7.625	2038	2048	2076	rBV	67633	126311	14.20%	1.790%
46	7.815	2105	2107	2108	rBV	443	157	0.02%	0.002%
47	7.863	2119	2122	2125	rBV	333	228	0.03%	0.003%
48	7.899	2131	2133	2135	rBV2	303	153	0.02%	0.002%
49	7.934	2141	2144	2145	rBV2	380	178	0.02%	0.003%
50	7.979	2145	2158	2179	rVV2	157183	272567	30.65%	3.862%
51	8.091	2183	2193	2227	rBV	224221	430617	48.43%	6.102%
52	8.410	2290	2292	2293	rBV	412	218	0.02%	0.003%
53	8.493	2315	2318	2323	rBV3	493	450	0.05%	0.006%
54	8.522	2324	2327	2332	rVV3	440	290	0.03%	0.004%
55	8.616	2354	2356	2359	rVB	345	147	0.02%	0.002%
56	8.632	2359	2361	2362	rBV	431	187	0.02%	0.003%
57	8.722	2386	2389	2392	rBV2	309	209	0.02%	0.003%
58	8.854	2419	2430	2456	rBV	380490	645474	72.59%	9.147%
59	9.146	2518	2521	2524	rVB3	720	403	0.05%	0.006%
60	9.172	2527	2529	2533	rVB2	396	286	0.03%	0.004%
61	9.194	2533	2536	2540	rBV	341	224	0.03%	0.003%
62	9.291	2563	2566	2569	rBV2	333	187	0.02%	0.003%
63	9.455	2613	2617	2621	rBV2	338	263	0.03%	0.004%
64	9.548	2641	2646	2647	rBV	310	206	0.02%	0.003%
65	9.670	2683	2684	2687	rVB	299	117	0.01%	0.002%
66	9.718	2697	2699	2702	rBV	270	160	0.02%	0.002%
67	9.825	2728	2732	2737	rBV2	453	440	0.05%	0.006%
68	9.934	2762	2766	2768	rVB2	352	203	0.02%	0.003%
69	10.091	2810	2815	2819	rBV2	338	316	0.04%	0.004%
70	10.130	2819	2827	2833	rVB3	1850	2618	0.29%	0.037%
71	10.217	2843	2854	2876	rBV	277942	439694	49.45%	6.231%
72	10.355	2892	2897	2899	rBV2	417	375	0.04%	0.005%
73	10.468	2927	2932	2935	rBV2	349	257	0.03%	0.004%
74	10.522	2945	2949	2953	rBV	206	209	0.02%	0.003%
75	10.580	2964	2967	2971	rVB4	587	368	0.04%	0.005%
76	10.918	3064	3072	3074	rBV4	1378	1469	0.17%	0.021%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV093021\
 Data File : VV022438.D
 Acq On : 30 Sep 2021 17:42
 Operator : SY/MD
 Sample : M3979-11
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4A06

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
 Title : VOC Analysis

77	11.114	3131	3133	3137	rBV3	376	246	0.03%	0.003%
78	11.143	3137	3142	3144	rBV3	784	721	0.08%	0.010%
79	11.252	3164	3176	3197	rBV	353924	555283	62.45%	7.869%
80	11.390	3217	3219	3225	rVB5	1092	987	0.11%	0.014%
81	11.545	3265	3267	3269	rVB2	488	181	0.02%	0.003%
82	11.564	3270	3273	3275	rBV	370	255	0.03%	0.004%
83	11.625	3280	3292	3314	rVV	389608	617086	69.40%	8.744%
84	11.844	3357	3360	3365	rBV2	447	310	0.03%	0.004%
85	11.976	3398	3401	3403	rBV	311	223	0.03%	0.003%
86	12.017	3412	3414	3418	rVB	379	175	0.02%	0.002%
87	12.255	3485	3488	3490	rBV2	497	303	0.03%	0.004%
88	12.352	3515	3518	3521	rBV2	377	274	0.03%	0.004%
89	12.410	3534	3536	3539	rVB	279	130	0.01%	0.002%
90	13.062	3737	3739	3744	rVB	428	236	0.03%	0.003%
91	13.197	3778	3781	3786	rBV2	414	348	0.04%	0.005%
92	13.255	3796	3799	3800	rBV2	216	126	0.01%	0.002%
93	13.332	3820	3823	3827	rBV2	303	226	0.03%	0.003%
94	13.371	3834	3835	3840	rBV2	281	236	0.03%	0.003%
95	13.416	3847	3849	3854	rBV	297	282	0.03%	0.004%
96	13.914	4001	4004	4006	rBV	464	204	0.02%	0.003%
97	14.185	4085	4088	4090	rBV2	379	264	0.03%	0.004%
98	14.287	4118	4120	4121	rBV	361	178	0.02%	0.003%
99	14.361	4139	4143	4146	rBV2	392	346	0.04%	0.005%
100	14.477	4177	4179	4189	rBV4	633	822	0.09%	0.012%

Sum of corrected areas: 7056884

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV093021\
Data File : VV022438.D
Acq On : 30 Sep 2021 17:42
Operator : SY/MD
Sample : M3979-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4A06

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV093021\
Data File : VV022438.D
Acq On : 30 Sep 2021 17:42
Operator : SY/MD
Sample : M3979-11
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4A06

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092721WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
