

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100121\
 Data File : VV022482.D
 Acq On : 01 Oct 2021 23:17
 Operator : SY/MD
 Sample : M4024-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COAH0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100121WMA.M

Title : VOC Analysis

Signal : TIC: VV022482.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.304	76	82	95	rVB	117060	119050	15.99%	1.912%
2	1.564	157	163	174	rVB	95926	107292	14.42%	1.723%
3	2.105	321	331	347	rBV2	208020	308780	41.49%	4.960%
4	3.127	647	649	651	rBV	380	201	0.03%	0.003%
5	3.240	682	684	687	rBV2	354	209	0.03%	0.003%
6	3.285	696	698	700	rBV	249	131	0.02%	0.002%
7	3.603	793	797	799	rBV3	343	292	0.04%	0.005%
8	3.841	867	871	872	rBV	149	99	0.01%	0.002%
9	3.899	878	889	920	rBV2	37968	143603	19.29%	2.307%
10	4.349	1015	1029	1058	rVB	118439	296678	39.86%	4.765%
11	4.715	1141	1143	1145	rVB2	392	154	0.02%	0.002%
12	4.986	1225	1227	1230	rBV	245	152	0.02%	0.002%
13	5.047	1230	1246	1272	rBV2	294394	744306	100.00%	11.956%
14	5.420	1359	1362	1364	rBV2	306	211	0.03%	0.003%
15	5.616	1411	1423	1450	rBV	280784	564728	75.87%	9.071%
16	5.915	1504	1516	1539	rBV2	116977	241636	32.46%	3.881%
17	6.069	1552	1564	1587	rBV	160289	330354	44.38%	5.306%
18	6.307	1636	1638	1640	rBV	261	125	0.02%	0.002%
19	6.416	1669	1672	1673	rBV2	174	76	0.01%	0.001%
20	6.510	1699	1701	1705	rBV	218	121	0.02%	0.002%
21	6.542	1709	1711	1714	rBV2	295	238	0.03%	0.004%
22	6.831	1796	1801	1802	rBV	372	245	0.03%	0.004%
23	6.892	1819	1820	1821	rBV	102	24	0.00%	0.000%
24	6.899	1821	1822	1823	rBV	233	70	0.01%	0.001%
25	6.937	1832	1834	1836	rBV	277	132	0.02%	0.002%
26	6.989	1839	1850	1867	rBV2	86715	158800	21.34%	2.551%
27	7.204	1915	1917	1919	rBV2	405	212	0.03%	0.003%
28	7.317	1940	1952	1972	rBV	349433	610857	82.07%	9.812%
29	7.625	2038	2048	2071	rBV	58805	105418	14.16%	1.693%
30	7.809	2102	2105	2106	rBV	276	122	0.02%	0.002%
31	7.899	2132	2133	2136	rBV	241	115	0.02%	0.002%
32	7.934	2141	2144	2146	rBV2	275	147	0.02%	0.002%
33	8.091	2183	2193	2234	rBV	152230	331787	44.58%	5.329%
34	8.564	2337	2340	2341	rBV	238	126	0.02%	0.002%
35	8.854	2419	2430	2456	rBV	409353	664992	89.34%	10.682%
36	9.120	2510	2513	2514	rBV	268	141	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100121\
 Data File : VV022482.D
 Acq On : 01 Oct 2021 23:17
 Operator : SY/MD
 Sample : M4024-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COAH0

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100121WMA.M
 Title : VOC Analysis

37	9.226	2544	2546	2549	rBV	345	238	0.03%	0.004%
38	9.255	2552	2555	2558	rVB	322	201	0.03%	0.003%
39	9.271	2558	2560	2563	rBV2	301	169	0.02%	0.003%
40	9.349	2582	2584	2585	rBV2	215	87	0.01%	0.001%
41	9.397	2596	2599	2603	rBV2	342	278	0.04%	0.004%
42	9.545	2643	2645	2647	rBV2	428	254	0.03%	0.004%
43	9.628	2668	2671	2673	rBV2	249	116	0.02%	0.002%
44	9.683	2686	2688	2692	rVB2	567	406	0.05%	0.007%
45	9.706	2692	2695	2696	rBV2	387	204	0.03%	0.003%
46	9.937	2764	2767	2771	rBV2	649	502	0.07%	0.008%
47	9.998	2785	2786	2787	rBV	222	76	0.01%	0.001%
48	10.040	2797	2799	2802	rBV2	300	251	0.03%	0.004%
49	10.124	2820	2825	2828	rBV2	1621	1545	0.21%	0.025%
50	10.162	2835	2837	2840	rVB2	296	144	0.02%	0.002%
51	10.217	2843	2854	2870	rBV	215072	341008	45.82%	5.478%
52	10.355	2895	2897	2898	rBV	226	97	0.01%	0.002%
53	10.548	2952	2957	2961	rVB3	554	556	0.07%	0.009%
54	10.699	3000	3004	3010	rVB2	380	381	0.05%	0.006%
55	11.152	3140	3145	3150	rBV3	698	796	0.11%	0.013%
56	11.188	3152	3156	3162	rBV4	615	727	0.10%	0.012%
57	11.249	3164	3175	3194	rBV	402927	617626	82.98%	9.921%
58	11.625	3280	3292	3313	rBV	331274	526442	70.73%	8.456%
59	11.850	3358	3362	3364	rBV2	451	350	0.05%	0.006%
60	11.908	3377	3380	3381	rBV	325	188	0.03%	0.003%
61	11.940	3389	3390	3391	rBV	250	52	0.01%	0.001%
62	11.953	3391	3394	3398	rBV2	344	304	0.04%	0.005%
63	12.053	3423	3425	3428	rBV	293	149	0.02%	0.002%
64	12.422	3538	3540	3545	rBV2	278	196	0.03%	0.003%
65	12.857	3672	3675	3681	rBV2	344	324	0.04%	0.005%
66	13.220	3786	3788	3790	rBV2	248	132	0.02%	0.002%
67	14.577	4207	4210	4211	rBV2	362	182	0.02%	0.003%




Sum of corrected areas: 6225605

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100121\
Data File : VV022482.D
Acq On : 01 Oct 2021 23:17
Operator : SY/MD
Sample : M4024-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COAH0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100121\
Data File : VV022482.D
Acq On : 01 Oct 2021 23:17
Operator : SY/MD
Sample : M4024-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AH0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100121\
Data File : VV022482.D
Acq On : 01 Oct 2021 23:17
Operator : SY/MD
Sample : M4024-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AH0

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
