

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV100220\
 Data File : VV018643.D
 Acq On : 02 Oct 2020 22:20
 Operator : SY/MD
 Sample : L4254-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3S2

Quant Time: Oct 03 04:16:37 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Oct 03 02:08:43 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	298713	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	298278	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	142163	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	76636	43.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.48%
7) Chloroethane-d5	1.58	69	68215	47.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.18%
11) 1,1-Dichloroethene-d2	2.12	63	129473	36.27	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.54%
21) 2-Butanone-d5	3.91	46	113492	86.85	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.85%
24) Chloroform-d	4.38	84	163761	43.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.46%
26) 1,2-Dichloroethane-d4	5.06	65	111669	46.43	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.86%
32) Benzene-d6	5.07	84	314872	41.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	83.36%
36) 1,2-Dichloropropane-d6	6.09	67	95985	42.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	84.10%
41) Toluene-d8	7.34	98	290001	40.80	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	81.60%
43) trans-1,3-Dichloropropene-	7.64	79	48227	39.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	78.22%
47) 2-Hexanone-d5	8.11	63	58596	67.58	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	67.58%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	109729	36.26	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	72.52%
64) 1,2-Dichlorobenzene-d4	11.65	152	128170	46.88	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.76%

Target Compounds					Ovalue
13) Acetone	2.19	43	4324	3.830 ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV100220\
Data File : VV018643.D
Acq On : 02 Oct 2020 22:20
Operator : SY/MD
Sample : L4254-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG3S2

Quant Time: Oct 03 04:16:37 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092920WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Oct 03 02:08:43 2020
Response via : Initial Calibration

