

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100221\
 Data File : VV022509.D
 Acq On : 02 Oct 2021 14:32
 Operator : SY/MD
 Sample : M3979-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4A43

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100121WMA.M
 Title : VOC Analysis

Signal : TIC: VV022509.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.304	75	82	98	rVB	113857	114995	4.94%	1.409%
2	1.565	156	163	176	rBV	93239	102460	4.40%	1.255%
3	2.105	321	331	358	rVB	196689	293674	12.62%	3.597%
4	2.282	384	386	387	rBV	785	370	0.02%	0.005%
5	2.410	424	426	430	rBV	371	257	0.01%	0.003%
6	2.603	483	486	487	rBV	665	377	0.02%	0.005%
7	2.716	519	521	523	rBV2	440	177	0.01%	0.002%
8	2.764	525	536	551	rVB5	15187	29435	1.26%	0.361%
9	2.844	559	561	564	rBV2	391	196	0.01%	0.002%
10	2.873	568	570	572	rBV	207	106	0.00%	0.001%
11	2.995	606	608	610	rVB	265	106	0.00%	0.001%
12	3.015	612	614	616	rBV	275	97	0.00%	0.001%
13	3.204	670	673	675	rBV2	205	146	0.01%	0.002%
14	3.294	698	701	704	rVB	417	300	0.01%	0.004%
15	3.314	704	707	712	rBV	190	197	0.01%	0.002%
16	3.397	730	733	735	rBV	172	123	0.01%	0.002%
17	3.616	798	801	804	rBV	476	404	0.02%	0.005%
18	3.648	809	811	815	rVV2	170	141	0.01%	0.002%
19	3.761	843	846	847	rBV2	177	118	0.01%	0.001%
20	3.892	876	887	920	rBV2	59041	209732	9.01%	2.569%
21	4.349	1012	1029	1052	rBV	113584	284198	12.21%	3.481%
22	4.625	1113	1115	1118	rBV	215	119	0.01%	0.001%
23	4.642	1118	1120	1123	rVB	411	181	0.01%	0.002%
24	4.854	1182	1186	1187	rBV	283	158	0.01%	0.002%
25	4.924	1206	1208	1209	rBV	127	29	0.00%	0.000%
26	4.934	1209	1211	1214	rBV	193	146	0.01%	0.002%
27	5.047	1229	1246	1280	rBV2	281967	715366	30.74%	8.762%
28	5.359	1341	1343	1346	rVB2	313	172	0.01%	0.002%
29	5.490	1382	1384	1387	rBV	326	185	0.01%	0.002%
30	5.529	1393	1396	1397	rBV	173	117	0.01%	0.001%
31	5.616	1411	1423	1449	rBV	253975	514314	22.10%	6.300%
32	5.918	1502	1517	1539	rBV3	44773	96346	4.14%	1.180%
33	6.069	1552	1564	1587	rBV	154552	311954	13.41%	3.821%
34	6.310	1637	1639	1640	rBV	300	151	0.01%	0.002%
35	6.346	1646	1650	1651	rBV	319	206	0.01%	0.003%
36	6.413	1669	1671	1673	rBV	266	131	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100221\
 Data File : VV022509.D
 Acq On : 02 Oct 2021 14:32
 Operator : SY/MD
 Sample : M3979-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4A43

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100121WMA.M
 Title : VOC Analysis

37	6.622	1733	1736	1737	rBV	208	65	0.00%	0.001%
38	6.632	1737	1739	1740	rBV	133	52	0.00%	0.001%
39	6.677	1750	1753	1754	rBV	191	116	0.00%	0.001%
40	6.735	1768	1771	1772	rBV	133	65	0.00%	0.001%
41	6.767	1778	1781	1783	rBV	306	209	0.01%	0.003%
42	6.854	1806	1808	1809	rBV	197	79	0.00%	0.001%
43	6.940	1833	1835	1836	rBV	185	75	0.00%	0.001%
44	6.989	1839	1850	1876	rVV	82211	150495	6.47%	1.843%
45	7.230	1923	1925	1930	rVB	266	194	0.01%	0.002%
46	7.256	1930	1933	1936	rBV2	300	138	0.01%	0.002%
47	7.317	1940	1952	1972	rBV	326338	576708	24.78%	7.064%
48	7.622	2036	2047	2065	rBV	56828	96494	4.15%	1.182%
49	7.770	2091	2093	2096	rBV2	333	242	0.01%	0.003%
50	7.805	2101	2104	2105	rBV2	353	181	0.01%	0.002%
51	7.876	2124	2126	2128	rVB2	383	167	0.01%	0.002%
52	7.892	2129	2131	2132	rBV	211	63	0.00%	0.001%
53	7.976	2143	2157	2183	rBV	1406947	2326939	100.00%	28.502%
54	8.092	2184	2193	2221	rVV	158022	295245	12.69%	3.616%
55	8.304	2257	2259	2263	rVB2	491	213	0.01%	0.003%
56	8.571	2340	2342	2343	rBV2	312	122	0.01%	0.001%
57	8.645	2361	2365	2366	rBV	289	216	0.01%	0.003%
58	8.854	2418	2430	2459	rBV	381452	616530	26.50%	7.552%
59	9.069	2495	2497	2500	rBV2	434	253	0.01%	0.003%
60	9.172	2528	2529	2530	rBV	231	47	0.00%	0.001%
61	9.371	2589	2591	2594	rBV	208	104	0.00%	0.001%
62	9.548	2641	2646	2650	rBV4	382	452	0.02%	0.006%
63	9.638	2672	2674	2675	rVB	222	63	0.00%	0.001%
64	9.661	2675	2681	2684	rBV2	207	300	0.01%	0.004%
65	9.741	2700	2706	2714	rBV3	345	535	0.02%	0.007%
66	10.011	2783	2790	2802	rBV4	1455	2750	0.12%	0.034%
67	10.133	2820	2828	2837	rVB5	1866	2906	0.12%	0.036%
68	10.217	2842	2854	2874	rBV	207757	325964	14.01%	3.993%
69	10.336	2888	2891	2893	rBV2	324	223	0.01%	0.003%
70	10.513	2945	2946	2947	rBV	231	72	0.00%	0.001%
71	10.625	2979	2981	2982	rVB2	231	53	0.00%	0.001%
72	10.754	3019	3021	3022	rBV2	207	64	0.00%	0.001%
73	10.792	3030	3033	3035	rBV	210	148	0.01%	0.002%
74	10.825	3039	3043	3045	rBV	479	409	0.02%	0.005%
75	10.911	3064	3070	3071	rBV3	1448	1049	0.05%	0.013%
76	11.005	3094	3099	3100	rBV	409	278	0.01%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100221\
 Data File : VV022509.D
 Acq On : 02 Oct 2021 14:32
 Operator : SY/MD
 Sample : M3979-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 F4A43

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100121WMA.M

Title : VOC Analysis

77	11.095	3124	3127	3130	rVB	219	132	0.01%	0.002%
78	11.191	3155	3157	3160	rBV2	367	136	0.01%	0.002%
79	11.249	3163	3175	3200	rBV	373805	578072	24.84%	7.081%
80	11.535	3262	3264	3265	rBV2	300	119	0.01%	0.001%
81	11.625	3280	3292	3313	rBV	321542	505236	21.71%	6.188%
82	11.773	3336	3338	3339	rBV	290	118	0.01%	0.001%
83	12.046	3420	3423	3424	rBV	333	179	0.01%	0.002%
84	12.162	3457	3459	3460	rBV	263	109	0.00%	0.001%
85	12.249	3482	3486	3491	rBV3	418	452	0.02%	0.006%
86	12.439	3542	3545	3548	rBV2	309	230	0.01%	0.003%
87	12.493	3560	3562	3565	rBV	276	165	0.01%	0.002%
88	12.715	3628	3631	3633	rBV2	185	113	0.00%	0.001%
89	12.728	3633	3635	3637	rBV	328	204	0.01%	0.002%
90	12.876	3678	3681	3684	rBV3	285	262	0.01%	0.003%
91	13.300	3811	3813	3815	rBV2	248	121	0.01%	0.001%
92	13.365	3830	3833	3836	rVB	338	160	0.01%	0.002%
93	14.046	4043	4045	4049	rBV2	249	138	0.01%	0.002%
94	14.181	4085	4087	4092	rVB2	435	258	0.01%	0.003%
95	15.676	4549	4552	4555	rBV2	755	593	0.03%	0.007%




Sum of corrected areas: 8164259

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100221\
Data File : VV022509.D
Acq On : 02 Oct 2021 14:32
Operator : SY/MD
Sample : M3979-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4A43

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100221\
Data File : VV022509.D
Acq On : 02 Oct 2021 14:32
Operator : SY/MD
Sample : M3979-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4A43

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100221\
Data File : VV022509.D
Acq On : 02 Oct 2021 14:32
Operator : SY/MD
Sample : M3979-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
F4A43

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM100121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------