

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100223\
 Data File : VV032196.D
 Acq On : 02 Oct 2023 12:48
 Operator : SY/MD
 Sample : 04679-08
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 FB(20230926)

Quant Time: Oct 03 01:59:56 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092523WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 03 01:57:58 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.539	114	226569	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.789	117	213675	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	108099	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	50949	36.337	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	72.680%		
7) Chloroethane-d5	1.532	69	47633	39.387	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	78.780%		
11) 1,1-Dichloroethene-d2	2.060	65	22883	37.375	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	74.760%		
21) 2-Butanone-d5	3.789	46	112230	89.019	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	89.020%		
24) Chloroform-d	4.252	84	114785	39.121	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	78.240%		
26) 1,2-Dichloroethane-d4	4.947	65	73172	41.448	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	82.900%		
32) Benzene-d6	4.963	84	226168	40.264	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	80.520%		
36) 1,2-Dichloropropane-d6	5.992	67	80265	42.820	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	85.640%		
41) Toluene-d8	7.246	98	200917	39.208	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	78.420%#		
43) trans-1,3-Dichloroprop...	7.558	79	32770	36.749	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	73.500%		
47) 2-Hexanone-d5	8.027	63	64370	79.522	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	79.520%		
56) 1,1,2,2-Tetrachloroeth...	10.156	84	107110	40.176	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	80.360%		
66) 1,2-Dichlorobenzene-d4	11.564	152	83707	42.700	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	85.400%		
Target Compounds					Qvalue	
13) Acetone	2.114	43	5830	4.943	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100223\
Data File : VV032196.D
Acq On : 02 Oct 2023 12:48
Operator : SY/MD
Sample : 04679-08
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
FB(20230926)

Quant Time: Oct 03 01:59:56 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM092523WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 03 01:57:58 2023
Response via : Initial Calibration

