

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV100520\
 Data File : VV018669.D
 Acq On : 05 Oct 2020 12:47
 Operator : SY/MD
 Sample : VV1005MBL01
 Misc : 5.0µ/5.0mL/100µL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK64

Quant Time: Oct 06 02:37:01 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 06 02:11:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	249551	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	247308	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	114775	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	81567	55.73	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	111.46%
7) Chloroethane-d5	1.58	69	69937	57.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	115.58%
11) 1,1-Dichloroethene-d2	2.12	63	121481	40.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.48%
21) 2-Butanone-d5	3.91	46	95608	87.58	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	87.58%
24) Chloroform-d	4.37	84	146558	46.31	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.62%
26) 1,2-Dichloroethane-d4	5.05	65	100024	49.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.58%
32) Benzene-d6	5.07	84	277796	44.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.70%
36) 1,2-Dichloropropane-d6	6.09	67	87988	46.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.98%
41) Toluene-d8	7.33	98	245410	41.64	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.28%
43) trans-1,3-Dichloropropene-	7.64	79	43070	42.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	84.24%
47) 2-Hexanone-d5	8.11	63	48892	68.01	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	68.01%
57) 1,1,2,2-Tetrachloroethane-	10.23	84	92992	37.06	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	74.12%
64) 1,2-Dichlorobenzene-d4	11.65	152	103448	46.87	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.74%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV100520\
Data File : VV018669.D
Acq On : 05 Oct 2020 12:47
Operator : SY/MD
Sample : VV1005MBL01
Misc : 5.0µ/5.0mL/100µL/5.0mL/MSVOA_V/MEOH
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK64

Quant Time: Oct 06 02:37:01 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092920WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 06 02:11:36 2020
Response via : Initial Calibration

