

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100521\
 Data File : VV022577.D
 Acq On : 05 Oct 2021 17:02
 Operator : SY/MD
 Sample : M3814-22
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Quant Time: Oct 06 05:29:51 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100421WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Oct 06 05:22:36 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	96992	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	96095	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	44900	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	15967	5.138	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	102.800%
7) Chloroethane-d5	1.565	69	23875	5.700	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	114.000%
11) 1,1-Dichloroethene-d2	2.105	63	31975	3.546	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	71.000%
20) 2-Butanone-d5	3.892	46	97311	52.974	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.940%
24) Chloroform-d	4.349	84	59638	4.984	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.600%
26) 1,2-Dichloroethane-d4	5.034	65	31260	5.545	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	111.000%
32) Benzene-d6	5.050	84	110383	5.098	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.000%
36) 1,2-Dichloropropane-d6	6.072	67	37602	4.922	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.400%
41) Toluene-d8	7.317	98	88348	4.867	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.400%
43) trans-1,3-Dichloroprop...	7.625	79	9723	4.809	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	96.200%
46) 2-Hexanone-d5	8.092	63	61807	49.371	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.740%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	28046	4.831	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.600%
66) 1,2-Dichlorobenzene-d4	11.625	152	40527	5.835	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	116.800%
Target Compounds					Qvalue	
34) Trichloroethene	5.924	95	562	0.075	ug/L	# 82

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100521\
Data File : VV022577.D
Acq On : 05 Oct 2021 17:02
Operator : SY/MD
Sample : M3814-22
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Time: Oct 06 05:29:51 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100421WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Oct 06 05:22:36 2021
Response via : Initial Calibration

