

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV100720\
 Data File : VV018731.D
 Acq On : 07 Oct 2020 15:36
 Operator : SY/MD
 Sample : L4284-06
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3W8

Manual Integrations
 APPROVED

MMDadoda
 10/12/2020 1:28:28 PM

Quant Time: Oct 08 05:41:46 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092920WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Oct 08 02:46:20 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	218198	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	223851	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	101103	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	76879	60.08	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	120.16%
7) Chloroethane-d5	1.58	69	68972	65.18	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	130.36%#
11) 1,1-Dichloroethene-d2	2.12	63	124469	47.74	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.48%
21) 2-Butanone-d5	3.92	46	101446	106.28	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.28%
24) Chloroform-d	4.37	84	153550	55.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	110.98%
26) 1,2-Dichloroethane-d4	5.06	65	112382	63.97	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	127.94%#
32) Benzene-d6	5.08	84	310878	54.83	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	109.66%
36) 1,2-Dichloropropane-d6	6.09	67	93948	54.84	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	109.68%
41) Toluene-d8	7.34	98	293632	55.05	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	110.10%
43) trans-1,3-Dichloropropene-	7.64	79	48681	52.60	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	105.20%
47) 2-Hexanone-d5	8.11	63	48195	74.06	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	74.06%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	93221	41.04	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	82.08%
64) 1,2-Dichlorobenzene-d4	11.65	152	108205	55.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	111.30%

Target Compounds				Ovalue
13) Acetone	2.20	43	5057m	6.132 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV100720\
Data File : VV018731.D
Acq On : 07 Oct 2020 15:36
Operator : SY/MD
Sample : L4284-06
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 38 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
BG3W8

Manual Integrations
APPROVED

MMDadoda
10/12/2020 1:28:28 PM

Quant Time: Oct 08 05:41:46 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM092920WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Oct 08 02:46:20 2020
Response via : Initial Calibration





#13

Acetone

Concen: 6.132 ug/L m

RT: 2.20 min Scan# 345

Delta R.T. 0.00 min

Lab File: VV018731.D

Acq: 07 Oct 2020 15:36

Instrument :
MSVOA_V
ClientSampleId :
BG3W8

Tot Ion: 43 Resp: 5057

Ion Ratio Lower Upper

43 100

58 0.8 0.0 64.0

Manual Integrations
APPROVED

MMDadoda
10/12/2020 1:28:28 PM

