

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100721\
 Data File : VV022684.D
 Acq On : 07 Oct 2021 23:52
 Operator : SY/MD
 Sample : M4098-01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YAT35

Quant Time: Oct 08 04:05:25 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Oct 08 04:01:59 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	98707	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	102032	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	46102	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	32917	4.847	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	97.000%
7) Chloroethane-d5	1.568	69	33446	5.481	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	109.600%
11) 1,1-Dichloroethene-d2	2.108	63	51233	3.846	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	77.000%
20) 2-Butanone-d5	3.899	46	76395	42.902	ug/L	-0.06
Spiked Amount	50.000	Range	40 - 130	Recovery	=	85.800%
24) Chloroform-d	4.352	84	50388	3.600	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	72.000%
26) 1,2-Dichloroethane-d4	5.034	65	35600	5.241	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.800%
32) Benzene-d6	5.053	84	139417	4.590	ug/L	0.02
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.800%
36) 1,2-Dichloropropane-d6	6.072	67	43833	4.873	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	97.400%
41) Toluene-d8	7.317	98	116120	4.422	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.400%
43) trans-1,3-Dichloroprop...	7.625	79	13271	4.447	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	89.000%
46) 2-Hexanone-d5	8.092	63	61017	50.741	ug/L	-0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	101.480%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	31169	5.115	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	102.200%
66) 1,2-Dichlorobenzene-d4	11.625	152	48826	5.712	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	114.200%
Target Compounds					Qvalue	
25) Chloroform	4.378	83	22107	1.633	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100721\
Data File : VV022684.D
Acq On : 07 Oct 2021 23:52
Operator : SY/MD
Sample : M4098-01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YAT35

Quant Time: Oct 08 04:05:25 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Oct 08 04:01:59 2021
Response via : Initial Calibration

