

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100721\
 Data File : VV022687.D
 Acq On : 08 Oct 2021 01:04
 Operator : SY/MD
 Sample : M4098-04
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YAT37

Quant Time: Oct 08 04:05:57 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Oct 08 04:01:59 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	116656	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	115746	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	53029	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	37662	4.692	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	93.800%
7) Chloroethane-d5	1.568	69	36634	5.079	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	101.600%
11) 1,1-Dichloroethene-d2	2.108	63	58103	3.690	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	73.800%
20) 2-Butanone-d5	3.899	46	99102	47.091	ug/L	-0.06
Spiked Amount	50.000	Range	40 - 130	Recovery	=	94.180%
24) Chloroform-d	4.352	84	72247	4.368	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.400%
26) 1,2-Dichloroethane-d4	5.034	65	37035	4.613	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.200%
32) Benzene-d6	5.053	84	149883	4.350	ug/L	0.02
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.000%
36) 1,2-Dichloropropane-d6	6.069	67	47315	4.637	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.800%
41) Toluene-d8	7.320	98	129406	4.344	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	86.800%
43) trans-1,3-Dichloroprop...	7.625	79	13493	3.986	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.800%
46) 2-Hexanone-d5	8.091	63	61746	45.263	ug/L	-0.02
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.520%
56) 1,1,2,2-Tetrachloroeth...	10.220	84	32350	4.680	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.600%
66) 1,2-Dichlorobenzene-d4	11.625	152	52309	5.320	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.400%
Target Compounds					Qvalue	
25) Chloroform	4.378	83	5703	0.356	ug/L	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV100721\
Data File : VV022687.D
Acq On : 08 Oct 2021 01:04
Operator : SY/MD
Sample : M4098-04
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 36 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YAT37

Quant Time: Oct 08 04:05:57 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Oct 08 04:01:59 2021
Response via : Initial Calibration





#25
Chloroform
Concen: 0.356 ug/L
RT: 4.378 min Scan# 1038
Delta R.T. 0.010 min
Lab File: VV022687.D
Acq: 08 Oct 2021 01:04

Instrument :
MSVOA_V
ClientSampleId :
YAT37

Tgt Ion: 83 Resp: 5703
Ion Ratio Lower Upper
83 100
85 70.0 45.7 84.9

