

Data File : VV013087.D
Acq On : 10 Oct 2019 12:06
Operator : SY/MD
Sample : VV1010SBL01
Misc : 5.00G/10ML/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK77

Quant Time: Oct 11 07:33:35 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM092319S.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 11 07:31:01 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	665284	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	645967	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	311047	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	188131	18.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.88%
7) Chloroethane-d5	1.58	69	166846	19.99	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.96%
10) 1,1-Dichloroethene-d2	2.13	63	274913	16.02	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.08%
20) 2-Butanone-d5	3.96	46	163998	46.01	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.02%
24) Chloroform-d	4.40	84	390771	21.38	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.52%
26) 1,2-Dichloroethane-d4	5.08	65	232457	21.88	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	87.52%
29) Benzene-d6	5.10	84	829195	22.99	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.96%
33) 1,2-Dichloropropane-d6	6.11	67	258136	22.83	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.32%
37) Toluene-d8	7.36	98	723819	22.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.44%
38) trans-1,3-Dichloropropene-	7.66	79	100685	21.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.12%
39) 2-Hexanone-d5	8.13	63	103125	45.33	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.66%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	230688	21.48	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	85.92%
61) 1,2-Dichlorobenzene-d4	11.67	152	300125	24.83	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.32%


Target Compounds					Qvalue
13) Acetone	2.22	43	9734	2.570 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VV013087.D
Acq On : 10 Oct 2019 12:06
Operator : SY/MD
Sample : VV1010SBL01
Misc : 5.00G/10ML/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK77

Quant Time: Oct 11 07:33:35 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM092319S.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 11 07:31:01 2019
Response via : Initial Calibration





#13

Acetone

Concen: 2.570 ug/L

RT: 2.22 min Scan# 352

Delta R.T. 0.01 min

Lab File: VV013087.D

Acq: 10 Oct 2019 12:06

Instrument :

MSVOA_V

ClientSampleId :

VBLK77

Tgt Ion: 43 Resp: 9734

Ion Ratio Lower Upper

43 100

58 27.8 0.0 65.0

