

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101019\
 Data File : VV013101.D
 Acq On : 10 Oct 2019 19:51
 Operator : SY/MD
 Sample : K5265-09
 Misc : 7.08G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DBAR8

Quant Time: Oct 11 08:31:31 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM092319S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Oct 11 07:31:01 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	691181	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	697979	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	316441	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	169917	15.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	63.36%
7) Chloroethane-d5	1.58	69	172527	19.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.60%
10) 1,1-Dichloroethene-d2	2.13	63	248390	13.93	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.72%
20) 2-Butanone-d5	3.96	46	125202	33.81	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	67.62%
24) Chloroform-d	4.40	84	409452	21.56	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	86.24%
26) 1,2-Dichloroethane-d4	5.08	65	223783	20.28	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	81.12%
29) Benzene-d6	5.10	84	793649	20.37	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	81.48%
33) 1,2-Dichloropropane-d6	6.11	67	264662	21.67	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.68%
37) Toluene-d8	7.36	98	682024	19.28	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	77.12%
38) trans-1,3-Dichloropropene-	7.66	79	90680	17.53	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	70.12%
39) 2-Hexanone-d5	8.14	63	82850	33.71	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	67.42%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	213173	18.37	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	73.48%
61) 1,2-Dichlorobenzene-d4	11.67	152	276308	22.47	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	89.88%

Target Compounds					Ovalue
16) Methylene chloride	2.53	84	15265	1.478 ug/L	96
22) cis-1,2-Dichloroethene	3.96	96	8266	0.817 ug/L	95
35) Trichloroethene	5.96	95	95470	8.821 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101019\
Data File : VV013101.D
Acq On : 10 Oct 2019 19:51
Operator : SY/MD
Sample : K5265-09
Misc : 7.08G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DBAR8

Quant Time: Oct 11 08:31:31 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM092319S.M
Quant Title : VOC Analysis
QLast Update : Fri Oct 11 07:31:01 2019
Response via : Initial Calibration

