

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101419\
 Data File : VV013134.D
 Acq On : 14 Oct 2019 11:54
 Operator : SY/MD
 Sample : VV1014WBL01
 Misc : 5.00ML/MSVOA V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK61

Quant Time: Oct 15 05:18:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 15 05:07:22 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	711554	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	685009	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	264348	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	208991	46.47	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.94%
7) Chloroethane-d5	1.58	69	186210	50.51	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.02%
11) 1,1-Dichloroethene-d2	2.13	63	293751	34.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.26%
21) 2-Butanone-d5	3.97	46	358293	105.95	ug/L	0.06
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.95%
24) Chloroform-d	4.40	84	459307	53.05	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.10%
26) 1,2-Dichloroethane-d4	5.08	65	298823	55.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	111.96%
32) Benzene-d6	5.10	84	952395	52.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.22%
36) 1,2-Dichloropropane-d6	6.12	67	304330	53.15	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.30%
41) Toluene-d8	7.36	98	803559	49.13	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.26%
43) trans-1,3-Dichloropropene-	7.66	79	126888	48.92	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.84%
47) 2-Hexanone-d5	8.14	63	199666	87.64	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.64%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	361639	48.94	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	97.88%
64) 1,2-Dichlorobenzene-d4	11.67	152	303170	58.54	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	117.08%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101419\
Data File : VV013134.D
Acq On : 14 Oct 2019 11:54
Operator : SY/MD
Sample : VV1014WBL01
Misc : 5.00ML/MSVOA V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK61

Quant Time: Oct 15 05:18:41 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 15 05:07:22 2019
Response via : Initial Calibration

