

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101419\
 Data File : VV013154.D
 Acq On : 14 Oct 2019 20:30
 Operator : SY/MD
 Sample : K5347-14 50X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AG3

Quant Time: Oct 15 07:44:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 15 05:07:22 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	720655	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	689234	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	266909	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	182030	39.96	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.92%
7) Chloroethane-d5	1.58	69	166518	44.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.18%
11) 1,1-Dichloroethene-d2	2.13	63	245094	28.52	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	57.04%#
21) 2-Butanone-d5	3.97	46	364312	106.36	ug/L	0.05
Spiked Amount	100.000	Range	40 - 130	Recovery	=	106.36%
24) Chloroform-d	4.40	84	420997	48.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.02%
26) 1,2-Dichloroethane-d4	5.08	65	277137	51.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.54%
32) Benzene-d6	5.10	84	876383	47.66	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.32%
36) 1,2-Dichloropropane-d6	6.12	67	281709	48.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.80%
41) Toluene-d8	7.36	98	725229	44.07	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.14%
43) trans-1,3-Dichloropropene-	7.66	79	111954	42.90	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	85.80%
47) 2-Hexanone-d5	8.14	63	199473	87.02	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.02%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	343328	46.18	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.36%
64) 1,2-Dichlorobenzene-d4	11.67	152	285183	54.53	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.06%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101419\
Data File : VV013154.D
Acq On : 14 Oct 2019 20:30
Operator : SY/MD
Sample : K5347-14 50X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AG3

Quant Time: Oct 15 07:44:43 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 15 05:07:22 2019
Response via : Initial Calibration

