

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101419\
 Data File : VV013143.D
 Acq On : 14 Oct 2019 15:38
 Operator : SY/MD
 Sample : K5347-03DL 200X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AF2DL

Quant Time: Oct 15 06:40:36 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 15 05:07:22 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	712556	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	685082	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	263179	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	191552	42.53	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.06%
7) Chloroethane-d5	1.58	69	169345	45.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.74%
11) 1,1-Dichloroethene-d2	2.13	63	255654	30.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	60.18%
21) 2-Butanone-d5	3.97	46	349396	103.17	ug/L	0.05
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.17%
24) Chloroform-d	4.40	84	423704	48.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.74%
26) 1,2-Dichloroethane-d4	5.08	65	274854	51.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.84%
32) Benzene-d6	5.10	84	879334	48.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.22%
36) 1,2-Dichloropropane-d6	6.12	67	284042	49.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.20%
41) Toluene-d8	7.36	98	735335	44.96	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	89.92%
43) trans-1,3-Dichloropropene-	7.66	79	111795	43.10	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.20%
47) 2-Hexanone-d5	8.14	63	200199	87.86	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.86%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	340521	46.08	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.16%
64) 1,2-Dichlorobenzene-d4	11.67	152	282206	54.73	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	109.46%


Target Compounds					Ovalue
46) Tetrachloroethene	8.02	164	228614	51.975 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101419\
Data File : VV013143.D
Acq On : 14 Oct 2019 15:38
Operator : SY/MD
Sample : K5347-03DL 200X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AF2DL

Quant Time: Oct 15 06:40:36 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 15 05:07:22 2019
Response via : Initial Calibration





#46

Tetrachloroethene

Concen: 51.975 ug/L

RT: 8.02 min Scan# 2154

Delta R.T. 0.00 min

Lab File: VV013143.D

Acq: 14 Oct 2019 15:38

Instrument :

MSVOA_V

ClientSampleId :

C0AF2DL

Tot Ion:164 Resp: 228614


Ion Ratio Lower Upper

164 100

129 88.3 63.1 117.1

131 86.1 62.4 116.0

166 127.6 91.3 169.6



Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

