

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101419\
 Data File : VV013145.D
 Acq On : 14 Oct 2019 16:51
 Operator : SY/MD
 Sample : PB123899TB
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VLEB01

Quant Time: Oct 15 06:50:45 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 15 05:07:22 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	725159	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	696252	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	270664	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	193996	42.32	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	84.64%
7) Chloroethane-d5	1.58	69	182622	48.60	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	97.20%
11) 1,1-Dichloroethene-d2	2.13	63	291190	33.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.36%
21) 2-Butanone-d5	3.92	46	317900	92.24	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	92.24%
24) Chloroform-d	4.40	84	426660	48.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.70%
26) 1,2-Dichloroethane-d4	5.08	65	282529	51.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.88%
32) Benzene-d6	5.10	84	904517	48.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.38%
36) 1,2-Dichloropropane-d6	6.12	67	291250	50.04	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.08%
41) Toluene-d8	7.36	98	755207	45.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.86%
43) trans-1,3-Dichloropropene-	7.66	79	117669	44.63	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.26%
47) 2-Hexanone-d5	8.13	63	130078	56.17	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	56.17%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	313362	41.72	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	83.44%
64) 1,2-Dichlorobenzene-d4	11.67	152	288590	54.42	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.84%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101419\
Data File : VV013145.D
Acq On : 14 Oct 2019 16:51
Operator : SY/MD
Sample : PB123899TB
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VLEB01

Quant Time: Oct 15 06:50:45 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 15 05:07:22 2019
Response via : Initial Calibration

