

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV101419\
 Data File : VV013146.D
 Acq On : 14 Oct 2019 17:15
 Operator : SY/MD
 Sample : K5347-04DL 20X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AF3DL

Quant Time: Oct 15 06:53:41 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Oct 15 05:07:22 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	734878	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	695835	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	249211	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	185927	40.03	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.06%
7) Chloroethane-d5	1.58	69	165843	43.55	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.10%
11) 1,1-Dichloroethene-d2	2.13	63	248041	28.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	56.62%#
21) 2-Butanone-d5	3.97	46	360393	103.18	ug/L	0.06
Spiked Amount	100.000	Range	40 - 130	Recovery	=	103.18%
24) Chloroform-d	4.40	84	416509	46.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.16%
26) 1,2-Dichloroethane-d4	5.08	65	270159	49.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.02%
32) Benzene-d6	5.10	84	862269	46.45	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.90%
36) 1,2-Dichloropropane-d6	6.12	67	278073	47.81	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	95.62%
41) Toluene-d8	7.36	98	724785	43.63	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.26%
43) trans-1,3-Dichloropropene-	7.66	79	113458	43.06	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.12%
47) 2-Hexanone-d5	8.14	63	204210	88.24	ug/L	0.01
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.24%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	338834	45.14	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.28%
64) 1,2-Dichlorobenzene-d4	11.67	152	256848	52.60	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.20%


Target Compounds					Ovalue
46) Tetrachloroethene	8.02	164	290438	65.011 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV101419\
Data File : VV013146.D
Acq On : 14 Oct 2019 17:15
Operator : SY/MD
Sample : K5347-04DL 20X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AF3DL

Quant Time: Oct 15 06:53:41 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM101119WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Oct 15 05:07:22 2019
Response via : Initial Calibration





#46

Tetrachloroethene

Concen: 65.011 ug/L

RT: 8.02 min Scan# 2154

Delta R.T. 0.00 min

Lab File: VV013146.D


Acq: 14 Oct 2019 17:15

Instrument :

MSVOA_V

ClientSampleId :

C0AF3DL



Tot Ion:164 Resp: 290438

Ion Ratio Lower Upper

164 100

129 86.9 63.1 117.1

131 83.7 62.4 116.0

166 128.7 91.3 169.6

Abundance Ion 164.00 (163.70 to 164.70): V

Ion 129.00 (128.70 to 129.70): V

Ion 131.00 (130.70 to 131.70): V

Ion 166.00 (165.70 to 166.70): V

