

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW101421\
 Data File : VW022785.D
 Acq On : 14 Oct 2021 12:19
 Operator : SY/MD
 Sample : M4167-10
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YATL1

Quant Time: Oct 15 01:59:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Oct 15 01:58:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	118306	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	122338	5.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	57971	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	31072	3.82	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	76.40%	
7) Chloroethane-d5	1.568	69	32563	4.45	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	89.00%	
11) 1,1-Dichloroethene-d2	2.108	63	45928	2.88	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	57.60%#	
20) 2-Butanone-d5	3.886	46	91936	43.08	ug/L	-0.01
Spiked Amount	50.000	Range 40 - 130	Recovery	=	86.16%	
24) Chloroform-d	4.352	84	82061	4.89	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	97.80%	
26) 1,2-Dichloroethane-d4	5.037	65	36988	4.54	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	90.80%	
32) Benzene-d6	5.053	84	151533	4.16	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	83.20%	
36) 1,2-Dichloropropane-d6	6.072	67	49567	4.60	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	92.00%	
41) Toluene-d8	7.320	98	125989	4.00	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	80.00%	
43) trans-1,3-Dichloroprop...	7.625	79	14491	4.05	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	81.00%	
46) 2-Hexanone-d5	8.092	63	69921	48.49	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	96.98%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	35198	4.82	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	96.40%	
66) 1,2-Dichlorobenzene-d4	11.625	152	56985	5.30	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	106.00%	
Target Compounds						
13) Acetone	2.179	43	13023	10.94	ug/L	# 34
21) 2-Butanone	3.982	43	18895	9.70	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV101421\
Data File : VV022785.D
Acq On : 14 Oct 2021 12:19
Operator : SY/MD
Sample : M4167-10
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
YATL1

Quant Time: Oct 15 01:59:08 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Oct 15 01:58:00 2021
Response via : Initial Calibration

