

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW101421\
 Data File : VV022784.D
 Acq On : 14 Oct 2021 11:55
 Operator : SY/MD
 Sample : M4167-09
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 YATLO

Manual Integrations
 APPROVED

MMDadoda
 10/15/2021 12:02:52 PM

Quant Time: Oct 15 01:59:02 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Oct 15 01:58:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	119053	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	121199	5.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	55260	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	31546	3.85	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	77.00%
7) Chloroethane-d5	1.568	69	31989	4.35	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	87.00%
11) 1,1-Dichloroethene-d2	2.108	63	45482	2.83	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	56.60%#
20) 2-Butanone-d5	3.905	46	88929	41.41	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	82.82%
24) Chloroform-d	4.352	84	81911	4.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.00%
26) 1,2-Dichloroethane-d4	5.037	65	37658	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.00%
32) Benzene-d6	5.053	84	150624	4.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.40%
36) 1,2-Dichloropropane-d6	6.072	67	49442	4.63	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.60%
41) Toluene-d8	7.320	98	125875	4.04	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.80%
43) trans-1,3-Dichloroprop...	7.629	79	14569	4.11	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.20%
46) 2-Hexanone-d5	8.092	63	68876	48.22	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.44%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	35999	4.97	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	99.40%
66) 1,2-Dichlorobenzene-d4	11.625	152	53225	5.19	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.80%
Target Compounds					Qvalue	
13) Acetone	2.198	43	3012m	2.52	ug/L	
30) Cyclohexane	4.683	56	4167	0.33	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV101421\
Data File : VV022784.D
Acq On : 14 Oct 2021 11:55
Operator : SY/MD
Sample : M4167-09
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
YATLO

Manual Integrations
APPROVED

MMDadoda
10/15/2021 12:02:52 PM


Quant Time: Oct 15 01:59:02 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Oct 15 01:58:00 2021
Response via : Initial Calibration





#13
Acetone
Concen: 2.52 ug/L m
RT: 2.198 min Scan# 360
Delta R.T. -0.006 min
Lab File: VV022784.D
Acq: 14 Oct 2021 11:55




Instrument :
MSVOA_V
ClientSampled :
YATLO




Tgt Ion: 43 Resp: 3012
Ion Ratio Lower Upper
43 100
58 2.9 0.0 24.2

Manual Integrations
APPROVED

MMDadoda
10/15/2021 12:02:52 PM



#30
Cyclohexane
Concen: 0.33 ug/L
RT: 4.683 min Scan# 1133
Delta R.T. 0.010 min
Lab File: VV022784.D
Acq: 14 Oct 2021 11:55



Tgt Ion: 56 Resp: 4167
Ion Ratio Lower Upper
56 100
69 30.4 24.9 37.3
84 92.6 72.5 108.7

