

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW101421\
 Data File : VW022811.D
 Acq On : 14 Oct 2021 23:04
 Operator : SY/MD
 Sample : M4223-17
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFG9

Manual Integrations
 APPROVED

SAM
 10/18/2021 1:04:56 PM

Quant Time: Oct 16 03:56:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Oct 16 03:54:29 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	117785	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.853	117	118605	5.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.252	152	56103	5.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	37525	4.63	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	92.60%
7) Chloroethane-d5	1.568	69	32919	4.52	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.40%
11) 1,1-Dichloroethene-d2	2.108	63	45343	2.85	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	57.00%#
20) 2-Butanone-d5	3.892	46	104586	49.22	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	98.44%
24) Chloroform-d	4.352	84	86625	5.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.80%
26) 1,2-Dichloroethane-d4	5.034	65	40483	4.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.80%
32) Benzene-d6	5.053	84	166646	4.72	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.40%
36) 1,2-Dichloropropane-d6	6.072	67	52648	5.04	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.80%
41) Toluene-d8	7.317	98	140529	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.00%
43) trans-1,3-Dichloroprop...	7.625	79	16107	4.64	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.80%
46) 2-Hexanone-d5	8.088	63	80198	57.37	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	114.74%
56) 1,1,2,2-Tetrachloroeth...	10.217	84	37649	5.32	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	106.40%
66) 1,2-Dichlorobenzene-d4	11.625	152	55717	5.36	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	107.20%
Target Compounds					Qvalue	
13) Acetone	2.178	43	6728m	5.68	ug/L	
42) Toluene	7.394	91	16190	0.50	ug/L	93
53) m,p-xylene	9.146	106	2426	0.19	ug/L	94
54) o-xylene	9.551	106	778	0.06	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV101421\
Data File : VV022811.D
Acq On : 14 Oct 2021 23:04
Operator : SY/MD
Sample : M4223-17
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 35 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
BFG9

Manual Integrations
APPROVED

SAM
10/18/2021 1:04:56 PM

Quant Time: Oct 16 03:56:08 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR100721WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Oct 16 03:54:29 2021
Response via : Initial Calibration









#13
Acetone
Concen: 5.68 ug/L m
RT: 2.178 min Scan# 354
Delta R.T. -0.016 min
Lab File: VV022811.D
Acq: 14 Oct 2021 23:04

Tgt Ion: 43 Resp: 6728
Ion Ratio Lower Upper
43 100
58 14.6 0.0 24.2

Instrument :
MSVOA_V
ClientSampleId :
BFG9




Manual Integrations
APPROVED


SAM
10/18/2021 1:04:56 PM



#42
Toluene
Concen: 0.50 ug/L
RT: 7.394 min Scan# 1976
Delta R.T. 0.003 min
Lab File: VV022811.D
Acq: 14 Oct 2021 23:04

Tgt Ion: 91 Resp: 16190
Ion Ratio Lower Upper
91 100
92 52.8 40.7 75.7









#53
m,p-xylene
Concen: 0.19 ug/L
RT: 9.146 min Scan# 2521
Delta R.T. 0.006 min
Lab File: VV022811.D
Acq: 14 Oct 2021 23:04

Tgt Ion:106 Resp: 2426
Ion Ratio Lower Upper
106 100
91 189.4 138.7 257.5

Instrument :
MSVOA_V
ClientSampleId :
BFGE9

Manual Integrations
APPROVED

SAM
10/18/2021 1:04:56 PM



#54
o-xylene
Concen: 0.06 ug/L
RT: 9.551 min Scan# 2647
Delta R.T. 0.006 min
Lab File: VV022811.D
Acq: 14 Oct 2021 23:04

Tgt Ion:106 Resp: 778
Ion Ratio Lower Upper
106 100
91 218.5 151.1 280.7

